



PRINT DATE: 2024-04-28 22:43:20 +0200

JOB ID: 3da2e199-82af-440d-b178-f3fda71cc299

RESULT PAGE: https://tygs.dsmz.de/user_results/show?guid=3da2e199-82af-440d-b178-f3fda71cc299

Table 1: Phylogenies

Publication-ready versions of both the genome-scale GBDP tree and the 16S rRNA gene sequence tree can be customized and exported either in SVG (vector graphic) or PNG format from within the phylogeny viewers in your TYGS result page. For publications the **SVG format is recommended** because it is lossless, always keeps its high resolution and can also be easily converted to other popular formats such as PDF or EPS. Please follow the link provided above!

Table 2: Identification

The below list contains the result of the TYGS species identification routine.

Explanation of remarks that might occur in the below table:

remark [R1]: The TYGS type strain database is automatically updated on an almost daily basis. However, if a particular type strain genome is not available in the TYGS database, this can have several reasons which are detailed in the FAQ. You can request an extended 16S rRNA gene analysis via the 16S tree viewer found in your result page to detect **not yet genome-sequenced** type strains relevant for your study.

remark [R2]: $> 70\%$ dDDH value (formula d_4) and (almost) minimal dDDH values for gene-content formulae d_0 and d_6 indicate a potentially unreliable identification result and should thus be checked via the 16S rRNA gene sequence similarity. Such strong deviations can, in principle, be caused by sequence contamination.

remark [R3]: G+C content difference of $> 1\%$ indicates a potentially unreliable identification result because within species G+C content varies no more than 1% , if computed from genome sequences (PMID: 24505073).

Strain	Conclusion	Identification result	Remark
'Bacillus_cereus_AH187'	belongs to known species	<i>Bacillus paranthracis</i>	
'Bacillus_cereus_BAG5X2-1'	belongs to known species	<i>Bacillus wiedmannii</i>	
'Bacillus_cereus_VD107'	belongs to known species	<i>Bacillus paramycooides</i>	
'Bacillus_cereus_172560W'	belongs to known species	<i>Bacillus cereus</i>	
'Bacillus_cereus_BAG10-2'	belongs to known species	<i>Bacillus toyonensis</i>	
'Bacillus_cereus_AH603'	belongs to known species	<i>Bacillus mycooides</i>	
'Bacillus_anthraxis_str_Ames_Ancestor'	potential new species		see [R1]
'Bacillus_anthraxis_str_Kruger_B'	potential new species		see [R1]
'Bacillus_anthraxis_str_Vollum'	potential new species		see [R1]
'Bacillus_thuringiensis_serovar_andalousiensis_BGSC_4AW1'	potential new species		see [R1]
'Bacillus_cereus_AH1271'	potential new species		see [R1]
'Bacillus_cereus_AH1272'	potential new species		see [R1]
'Bacillus_cereus_ATCC_4342'	potential new species		see [R1]
'Bacillus_cereus_B5-2'	potential new species		see [R1]

Strain	Conclusion	Identification result	Remark
'Bacillus_cereus_BAG2X1-1'	potential new species		see [R1]
'Bacillus_cereus_BAG2X1-2'	potential new species		see [R1]
'Bacillus_cereus_HuA4-10'	potential new species		see [R1]
'Bacillus_cereus_R309803'	potential new species		see [R1]
'Bacillus_cereus_Rock3-44'	potential new species		see [R1]
'Bacillus_cereus_VD136'	potential new species		see [R1]

Table 3: Pairwise comparisons of user genomes vs. type-strain genomes

The following table contains the pairwise dDDH values between your user genomes and the selected type-strain genomes. The dDDH values are provided along with their confidence intervals (C.I.) for the three different GBDP formulas:

- formula d_0 (a.k.a. GGDC formula 1): length of all HSPs divided by total genome length
- formula d_4 (a.k.a. GGDC formula 2): sum of all identities found in HSPs divided by overall HSP length
- formula d_6 (a.k.a. GGDC formula 3): sum of all identities found in HSPs divided by total genome length

Note: Formula d_4 is independent of genome length and is thus robust against the use of incomplete draft genomes. For other reasons for preferring formula d_4 , see the FAQ.

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_anthraxis_str_Vollum.fna'	100.0	[100.0 - 100.0]	99.8	[99.6 - 99.9]	100.0	[100.0 - 100.0]	0.03
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_anthraxis_str_Vollum.fna'	99.9	[99.8 - 100.0]	99.3	[98.8 - 99.5]	100.0	[99.9 - 100.0]	0.06
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_anthraxis_str_Kruger_B.fna'	99.9	[99.8 - 100.0]	99.3	[98.9 - 99.6]	100.0	[99.9 - 100.0]	0.09
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	89.9	[86.6 - 92.4]	99.3	[98.9 - 99.5]	93.8	[91.6 - 95.4]	0.42
'Bacillus_cereus_BAG5X2-1.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	89.2	[85.8 - 91.8]	88.0	[85.5 - 90.2]	91.6	[89.1 - 93.6]	0.01
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_thuringiensis_serovar_andalousiensis_BGSC_4AW1.fna'	80.7	[76.8 - 84.1]	84.6	[81.8 - 87.0]	84.3	[81.0 - 87.1]	0.12
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_thuringiensis_serovar_andalousiensis_BGSC_4AW1.fna'	80.5	[76.6 - 83.9]	84.5	[81.8 - 86.9]	84.1	[80.9 - 86.9]	0.09
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_thuringiensis_serovar_andalousiensis_BGSC_4AW1.fna'	80.1	[76.2 - 83.6]	84.3	[81.6 - 86.7]	83.8	[80.5 - 86.6]	0.03
'Bacillus_cereus_AH187.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	75.7	[71.7 - 79.3]	77.4	[74.4 - 80.2]	78.8	[75.3 - 81.8]	0.33
'Bacillus_cereus_VD107.fna'	<i>Bacillus paramycooides</i> NH24A2	78.2	[74.2 - 81.7]	77.1	[74.1 - 79.8]	80.9	[77.5 - 83.8]	0.06
'Bacillus_cereus_172560W.fna'	<i>Bacillus cereus</i> ATCC 14579	80.9	[77.0 - 84.3]	73.7	[70.7 - 76.6]	82.5	[79.2 - 85.4]	0.47
'Bacillus_cereus_AH603.fna'	<i>Bacillus mycooides</i> DSM 2048	73.4	[69.4 - 77.0]	70.5	[67.5 - 73.4]	75.4	[71.9 - 78.6]	0.09
'Bacillus_cereus_R309803.fna'	<i>Bacillus luti</i> MCCC 1A00359	78.9	[74.9 - 82.4]	69.9	[66.9 - 72.7]	80.0	[76.6 - 83.0]	0.09
'Bacillus_cereus_AH603.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	71.1	[67.1 - 74.7]	69.8	[66.8 - 72.6]	73.2	[69.8 - 76.5]	0.09
'Bacillus_cereus_BAG2X1-2.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	83.8	[80.0 - 87.0]	69.3	[66.3 - 72.1]	84.1	[80.8 - 86.9]	0.02
'Bacillus_cereus_VD136.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	67.9	[64.0 - 71.5]	68.5	[65.5 - 71.3]	70.2	[66.7 - 73.4]	0.2
'Bacillus_cereus_AH187.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	78.1	[74.2 - 81.6]	67.5	[64.5 - 70.3]	78.9	[75.4 - 81.9]	0.31
'Bacillus_cereus_172560W.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	74.6	[70.6 - 78.2]	67.5	[64.5 - 70.3]	75.8	[72.4 - 79.0]	0.01
'Bacillus_cereus_BAG2X1-2.fna'	'Bacillus_cereus_BAG5X2-1.fna'	78.2	[74.2 - 81.7]	66.7	[63.7 - 69.5]	78.7	[75.3 - 81.8]	0.03
'Bacillus_cereus_AH1271.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	77.2	[73.2 - 80.7]	66.4	[63.4 - 69.2]	77.8	[74.4 - 80.9]	0.01

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
' <i>Bacillus_cereus</i> _AH187.fna'	' <i>Bacillus_cereus</i> _ATCC_4342.fna'	74.9	[70.9 - 78.5]	65.6	[62.7 - 68.4]	75.7	[72.2 - 78.8]	0.31
' <i>Bacillus_cereus</i> _ATCC_4342.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	75.1	[71.1 - 78.7]	64.4	[61.5 - 67.2]	75.6	[72.1 - 78.7]	0.02
' <i>Bacillus_thuringiensis</i> _serovar_andalousiensis_B_GSC_4AW1.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	72.4	[68.4 - 76.0]	62.4	[59.5 - 65.2]	72.8	[69.3 - 76.0]	0.06
' <i>Bacillus_anthraxis</i> _str_Vollum.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	73.1	[69.1 - 76.7]	61.6	[58.7 - 64.4]	73.2	[69.7 - 76.4]	0.03
' <i>Bacillus_anthraxis</i> _str_Ames_Ancestorfna'	<i>Bacillus paranthracis</i> MCCC 1A00395	73.3	[69.3 - 76.9]	61.6	[58.7 - 64.4]	73.4	[69.9 - 76.6]	0.06
' <i>Bacillus_anthraxis</i> _str_Kruger_B.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	72.8	[68.8 - 76.4]	61.4	[58.5 - 64.2]	72.9	[69.4 - 76.1]	0.04
' <i>Bacillus_cereus</i> _AH1271.fna'	' <i>Bacillus_cereus</i> _BAG2X1-2.fna'	74.7	[70.7 - 78.3]	60.9	[58.0 - 63.7]	74.4	[70.9 - 77.6]	0.09
' <i>Bacillus_cereus</i> _AH187.fna'	' <i>Bacillus_thuringiensis</i> _serovar_andalousiensis_B_GSC_4AW1.fna'	70.0	[66.1 - 73.6]	60.8	[58.0 - 63.6]	70.3	[66.9 - 73.6]	0.39
' <i>Bacillus_anthraxis</i> _str_Vollum.fna'	' <i>Bacillus_cereus</i> _ATCC_4342.fna'	80.2	[76.2 - 83.6]	60.7	[57.8 - 63.5]	79.0	[75.5 - 82.0]	0.01
' <i>Bacillus_cereus</i> _B5-2.fna'	' <i>Bacillus_cereus</i> _BAG5X2-1.fna'	75.0	[71.0 - 78.6]	60.7	[57.8 - 63.5]	74.6	[71.1 - 77.8]	0.09
' <i>Bacillus_anthraxis</i> _str_Ames_Ancestorfna'	' <i>Bacillus_cereus</i> _ATCC_4342.fna'	80.3	[76.4 - 83.8]	60.7	[57.9 - 63.5]	79.1	[75.7 - 82.2]	0.04
' <i>Bacillus_anthraxis</i> _str_Kruger_B.fna'	' <i>Bacillus_cereus</i> _ATCC_4342.fna'	79.9	[75.9 - 83.3]	60.6	[57.7 - 63.4]	78.7	[75.3 - 81.8]	0.05
' <i>Bacillus_cereus</i> _ATCC_4342.fna'	' <i>Bacillus_thuringiensis</i> _serovar_andalousiensis_B_GSC_4AW1.fna'	78.5	[74.5 - 82.0]	60.4	[57.5 - 63.1]	77.5	[74.0 - 80.6]	0.08
' <i>Bacillus_cereus</i> _AH603.fna'	' <i>Bacillus_cereus</i> _HuA4-10.fna'	71.5	[67.6 - 75.2]	60.4	[57.5 - 63.1]	71.5	[68.1 - 74.8]	0.12
' <i>Bacillus_anthraxis</i> _str_Ames_Ancestorfna'	' <i>Bacillus_cereus</i> _AH187.fna'	75.2	[71.2 - 78.8]	60.1	[57.2 - 62.9]	74.6	[71.2 - 77.8]	0.27
' <i>Bacillus_cereus</i> _B5-2.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	79.3	[75.4 - 82.8]	60.0	[57.1 - 62.8]	78.1	[74.6 - 81.2]	0.07
' <i>Bacillus_anthraxis</i> _str_Vollum.fna'	' <i>Bacillus_cereus</i> _AH187.fna'	75.0	[71.0 - 78.6]	60.0	[57.2 - 62.8]	74.4	[70.9 - 77.6]	0.3
' <i>Bacillus_anthraxis</i> _str_Kruger_B.fna'	' <i>Bacillus_cereus</i> _AH187.fna'	74.3	[70.3 - 77.9]	59.8	[57.0 - 62.6]	73.8	[70.3 - 77.0]	0.36
' <i>Bacillus_cereus</i> _ATCC_4342.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	74.0	[70.0 - 77.6]	59.7	[56.9 - 62.5]	73.5	[70.1 - 76.7]	0.0
' <i>Bacillus_cereus</i> _AH1271.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	74.9	[70.9 - 78.5]	59.5	[56.7 - 62.3]	74.2	[70.7 - 77.4]	0.07
' <i>Bacillus_cereus</i> _BAG2X1-2.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	68.7	[64.8 - 72.3]	59.3	[56.5 - 62.0]	68.8	[65.4 - 72.0]	0.11
' <i>Bacillus_cereus</i> _AH1271.fna'	' <i>Bacillus_cereus</i> _BAG5X2-1.fna'	70.4	[66.5 - 74.1]	59.1	[56.3 - 61.8]	70.3	[66.8 - 73.5]	0.06
' <i>Bacillus_cereus</i> _BAG5X2-1.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	65.6	[61.8 - 69.3]	57.9	[55.1 - 60.6]	65.8	[62.4 - 69.0]	0.07
' <i>Bacillus_cereus</i> _AH1272.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	65.5	[61.6 - 69.1]	57.8	[55.0 - 60.5]	65.6	[62.3 - 68.9]	0.07
' <i>Bacillus_cereus</i> _B5-2.fna'	' <i>Bacillus_cereus</i> _BAG2X1-2.fna'	77.5	[73.5 - 81.0]	57.7	[54.9 - 60.4]	75.9	[72.5 - 79.1]	0.05
' <i>Bacillus_cereus</i> _HuA4-10.fna'	<i>Bacillus mycoides</i> DSM 2048	67.6	[63.7 - 71.2]	57.0	[54.2 - 59.7]	67.3	[63.9 - 70.5]	0.03

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_thuringiensis_seroovar_andalouisiensis_BGSC_4AW1.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	67.2	[63.3 - 70.8]	56.4	[53.7 - 59.2]	66.8	[63.4 - 70.0]	0.08
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	69.8	[65.9 - 73.5]	56.2	[53.4 - 58.9]	69.0	[65.6 - 72.2]	0.03
'Bacillus_anthraxis_str_Ames_Ancestorfna'	<i>Bacillus pacificus</i> MCCC 1A06182	70.1	[66.2 - 73.7]	55.9	[53.1 - 58.6]	69.2	[65.7 - 72.4]	0.04
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	69.9	[65.9 - 73.5]	55.8	[53.1 - 58.6]	69.0	[65.5 - 72.2]	0.01
'Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	69.5	[65.6 - 73.2]	55.8	[53.0 - 58.5]	68.7	[65.2 - 71.9]	0.05
'Bacillus_cereus_AH1271.fna'	<i>Bacillus albus</i> N35-10-2	68.6	[64.7 - 72.2]	55.2	[52.4 - 57.9]	67.7	[64.3 - 70.9]	0.33
'Bacillus_cereus_BAG2X1-2.fna'	<i>Bacillus albus</i> N35-10-2	74.0	[70.0 - 77.6]	54.7	[52.0 - 57.4]	72.1	[68.7 - 75.4]	0.24
'Bacillus_cereus_AH1271.fna'	'Bacillus_cereus_B5-2.fna'	70.5	[66.5 - 74.1]	54.4	[51.7 - 57.1]	69.1	[65.6 - 72.3]	0.14
'Bacillus_cereus_BAG5X2-1.fna'	<i>Bacillus albus</i> N35-10-2	68.1	[64.3 - 71.8]	53.8	[51.1 - 56.5]	66.9	[63.5 - 70.2]	0.27
'Bacillus_cereus_B5-2.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	66.6	[62.8 - 70.3]	53.7	[51.0 - 56.3]	65.6	[62.2 - 68.8]	0.16
'Bacillus_cereus_ATCC_4342.fna'	<i>Bacillus albus</i> N35-10-2	73.6	[69.6 - 77.2]	53.2	[50.5 - 55.9]	71.4	[67.9 - 74.6]	0.27
'Bacillus_cereus_AH1272.fna'	<i>Bacillus mycoides</i> DSM 2048	65.9	[62.0 - 69.5]	52.9	[50.2 - 55.6]	64.7	[61.4 - 68.0]	0.01
'Bacillus_thuringiensis_seroovar_andalouisiensis_BGSC_4AW1.fna'	<i>Bacillus albus</i> N35-10-2	69.3	[65.4 - 73.0]	52.8	[50.1 - 55.5]	67.7	[64.2 - 70.9]	0.18
'Bacillus_cereus_ATCC_4342.fna'	'Bacillus_cereus_B5-2.fna'	71.8	[67.8 - 75.4]	52.6	[49.9 - 55.3]	69.7	[66.2 - 72.9]	0.08
'Bacillus_cereus_AH1272.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	68.9	[65.0 - 72.6]	52.5	[49.8 - 55.2]	67.2	[63.8 - 70.5]	0.01
'Bacillus_cereus_AH1271.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	73.1	[69.1 - 76.7]	52.4	[49.7 - 55.0]	70.7	[67.2 - 73.9]	0.06
'Bacillus_anthraxis_str_Ames_Ancestorfna'	<i>Bacillus albus</i> N35-10-2	70.6	[66.7 - 74.2]	52.4	[49.7 - 55.1]	68.6	[65.2 - 71.8]	0.31
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus albus</i> N35-10-2	70.4	[66.5 - 74.1]	52.4	[49.7 - 55.0]	68.4	[65.0 - 71.7]	0.28
'Bacillus_cereus_B5-2.fna'	<i>Bacillus albus</i> N35-10-2	72.5	[68.5 - 76.1]	52.4	[49.8 - 55.1]	70.2	[66.7 - 73.4]	0.19
'Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus albus</i> N35-10-2	70.1	[66.1 - 73.7]	52.3	[49.6 - 54.9]	68.1	[64.7 - 71.3]	0.21
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_AH1271.fna'	73.3	[69.3 - 76.9]	52.1	[49.5 - 54.8]	70.8	[67.3 - 74.0]	0.24
'Bacillus_cereus_AH187.fna'	<i>Bacillus albus</i> N35-10-2	64.1	[60.4 - 67.8]	51.8	[49.2 - 54.5]	63.0	[59.6 - 66.2]	0.57
'Bacillus_cereus_ATCC_4342.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	77.0	[73.1 - 80.6]	51.7	[49.0 - 54.3]	73.7	[70.2 - 76.9]	0.01
'Bacillus_cereus_B5-2.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	64.8	[61.0 - 68.4]	51.7	[49.0 - 54.3]	63.5	[60.1 - 66.7]	0.06
'Bacillus_cereus_AH1271.fna'	'Bacillus_cereus_ATCC_4342.fna'	76.3	[72.3 - 79.9]	51.6	[48.9 - 54.3]	73.1	[69.6 - 76.3]	0.06
'Bacillus_anthraxis_str_Ames_Ancestorfna'	'Bacillus_cereus_B5-2.fna'	66.4	[62.6 - 70.1]	51.6	[48.9 - 54.2]	64.8	[61.5 - 68.1]	0.12

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_cereus_ATCC_4342.fna'	'Bacillus_cereus_BAG5X_2-1.fna'	71.9	[67.9 - 75.5]	51.6	[49.0 - 54.3]	69.4	[66.0 - 72.7]	0.0
'Bacillus_cereus_B5-2.fna'	'Bacillus_thuringiensis_serovar_andalusiensis_BGSC_4AW1.fna'	67.0	[63.1 - 70.6]	51.6	[48.9 - 54.2]	65.3	[62.0 - 68.5]	0.0
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_B5-2.fna'	66.2	[62.4 - 69.9]	51.5	[48.8 - 54.2]	64.7	[61.3 - 67.9]	0.09
'Bacillus_cereus_BAG5X_2-1.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	63.8	[60.0 - 67.4]	51.5	[48.9 - 54.2]	62.6	[59.3 - 65.8]	0.0
'Bacillus_cereus_BAG5X_2-1.fna'	'Bacillus_thuringiensis_serovar_andalusiensis_BGSC_4AW1.fna'	69.4	[65.5 - 73.0]	51.4	[48.7 - 54.0]	67.2	[63.8 - 70.5]	0.09
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_B5-2.fna'	66.1	[62.3 - 69.7]	51.4	[48.8 - 54.1]	64.5	[61.2 - 67.7]	0.03
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_B5-2.fna'	63.1	[59.4 - 66.7]	51.4	[48.7 - 54.1]	62.0	[58.7 - 65.2]	0.39
'Bacillus_cereus_AH187.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	67.7	[63.9 - 71.4]	51.3	[48.7 - 54.0]	65.9	[62.5 - 69.1]	0.32
'Bacillus_thuringiensis_serovar_andalusiensis_BGSC_4AW1.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	74.6	[70.6 - 78.2]	51.2	[48.6 - 53.9]	71.6	[68.1 - 74.8]	0.07
'Bacillus_cereus_ATCC_4342.fna'	'Bacillus_cereus_BAG2X_1-2.fna'	75.7	[71.7 - 79.3]	51.2	[48.6 - 53.9]	72.4	[69.0 - 75.6]	0.03
'Bacillus_cereus_AH187.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	72.9	[69.0 - 76.6]	51.2	[48.5 - 53.8]	70.2	[66.7 - 73.4]	0.23
'Bacillus_cereus_AH603.fna'	'Bacillus_cereus_AH1272.fna'	64.6	[60.8 - 68.2]	51.2	[48.6 - 53.9]	63.2	[59.8 - 66.4]	0.1
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_BAG5X_2-1.fna'	64.2	[60.5 - 67.9]	51.1	[48.5 - 53.8]	62.9	[59.5 - 66.1]	0.3
'Bacillus_cereus_BAG2X_1-2.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	65.9	[62.1 - 69.6]	51.1	[48.4 - 53.7]	64.3	[60.9 - 67.5]	0.03
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_BAG5X_2-1.fna'	65.7	[61.9 - 69.3]	50.9	[48.2 - 53.5]	64.0	[60.7 - 67.2]	0.0
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_BAG5X_2-1.fna'	65.9	[62.1 - 69.6]	50.9	[48.3 - 53.6]	64.2	[60.9 - 67.4]	0.03
'Bacillus_cereus_B5-2.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	65.6	[61.8 - 69.2]	50.9	[48.3 - 53.6]	63.9	[60.6 - 67.2]	0.08
'Bacillus_cereus_BAG5X_2-1.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	65.5	[61.7 - 69.1]	50.9	[48.3 - 53.6]	63.8	[60.5 - 67.1]	0.02
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_BAG5X_2-1.fna'	65.2	[61.4 - 68.8]	50.8	[48.2 - 53.4]	63.6	[60.2 - 66.8]	0.06
'Bacillus_cereus_BAG2X_1-2.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	70.2	[66.3 - 73.9]	50.8	[48.1 - 53.4]	67.8	[64.4 - 71.0]	0.01
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	70.7	[66.8 - 74.4]	50.8	[48.2 - 53.5]	68.2	[64.8 - 71.5]	0.02
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	71.0	[67.0 - 74.6]	50.8	[48.2 - 53.5]	68.4	[65.0 - 71.7]	0.05
'Bacillus_cereus_BAG2X_1-2.fna'	'Bacillus_thuringiensis_serovar_andalusiensis_BGSC_4AW1.fna'	70.8	[66.9 - 74.5]	50.7	[48.0 - 53.3]	68.3	[64.8 - 71.5]	0.05
'Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	70.4	[66.4 - 74.0]	50.7	[48.1 - 53.4]	67.9	[64.5 - 71.1]	0.04
'Bacillus_cereus_AH1271.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	67.0	[63.2 - 70.7]	50.6	[48.0 - 53.3]	65.1	[61.7 - 68.3]	0.08
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_BAG2X_1-2.fna'	66.5	[62.7 - 70.1]	50.5	[47.9 - 53.2]	64.6	[61.2 - 67.8]	0.34

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_cereus_ATCC_4342.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	70.2	[66.3 - 73.8]	50.5	[47.9 - 53.2]	67.7	[64.3 - 70.9]	0.08
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_BAG2X 1-2.fna'	70.6	[66.7 - 74.3]	50.5	[47.9 - 53.2]	68.0	[64.6 - 71.3]	0.07
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_BAG2X 1-2.fna'	70.4	[66.5 - 74.0]	50.5	[47.9 - 53.1]	67.8	[64.4 - 71.1]	0.04
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_BAG2X 1-2.fna'	70.1	[66.2 - 73.8]	50.4	[47.7 - 53.0]	67.6	[64.2 - 70.8]	0.02
'Bacillus_cereus_AH1271.fna'	'Bacillus_thuringiensis_serovar_andalusiensis_B GSC_4AW1.fna'	67.5	[63.7 - 71.2]	50.3	[47.7 - 52.9]	65.4	[62.0 - 68.6]	0.15
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_AH1271.fna'	71.5	[67.6 - 75.2]	50.0	[47.3 - 52.6]	68.6	[65.2 - 71.8]	0.05
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_AH1271.fna'	71.7	[67.7 - 75.3]	50.0	[47.4 - 52.6]	68.8	[65.3 - 72.0]	0.02
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_AH1271.fna'	71.3	[67.3 - 74.9]	49.9	[47.2 - 52.5]	68.4	[64.9 - 71.6]	0.12
'Bacillus_thuringiensis_serovar_andalusiensis_B GSC_4AW1.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	65.0	[61.2 - 68.7]	49.5	[46.9 - 52.2]	63.1	[59.7 - 66.3]	0.16
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	68.5	[64.6 - 72.2]	49.4	[46.7 - 52.0]	65.9	[62.5 - 69.2]	0.04
'Bacillus_cereus_AH603.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	62.1	[58.4 - 65.7]	49.4	[46.8 - 52.0]	60.5	[57.3 - 63.7]	0.03
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	68.4	[64.5 - 72.0]	49.3	[46.7 - 51.9]	65.8	[62.4 - 69.0]	0.07
'Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	68.0	[64.1 - 71.7]	49.2	[46.6 - 51.8]	65.5	[62.1 - 68.7]	0.13
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	65.7	[61.9 - 69.4]	48.9	[46.3 - 51.5]	63.5	[60.1 - 66.7]	0.09
'Bacillus_cereus_AH1272.fna'	'Bacillus_cereus_HuA4-10.fna'	61.5	[57.7 - 65.0]	48.9	[46.3 - 51.5]	59.9	[56.6 - 63.0]	0.02
'Bacillus_cereus_R30980 3.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	71.8	[67.9 - 75.5]	47.7	[45.1 - 50.3]	68.1	[64.7 - 71.3]	0.08
'Bacillus_cereus_AH1271.fna'	'Bacillus_cereus_R30980 3.fna'	68.4	[64.5 - 72.1]	47.3	[44.7 - 49.9]	65.2	[61.8 - 68.4]	0.09
'Bacillus_cereus_HuA4-10.fna'	'Bacillus_cereus_VD107.fna'	61.5	[57.8 - 65.0]	46.5	[44.0 - 49.1]	59.2	[55.9 - 62.3]	0.02
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus paramycooides</i> NH24A2	63.1	[59.4 - 66.7]	46.3	[43.8 - 48.9]	60.5	[57.2 - 63.7]	0.04
'Bacillus_cereus_BAG2X 1-2.fna'	'Bacillus_cereus_R30980 3.fna'	65.6	[61.8 - 69.2]	46.2	[43.6 - 48.8]	62.5	[59.1 - 65.7]	0.18
'Bacillus_cereus_VD107.fna'	<i>Bacillus mycooides</i> DSM 2048	59.0	[55.4 - 62.6]	46.2	[43.7 - 48.8]	57.0	[53.8 - 60.1]	0.05
'Bacillus_cereus_AH603.fna'	'Bacillus_cereus_VD107.fna'	56.8	[53.3 - 60.3]	46.1	[43.6 - 48.7]	55.1	[52.0 - 58.3]	0.14
'Bacillus_cereus_R30980 3.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	65.9	[62.1 - 69.5]	46.1	[43.5 - 48.6]	62.7	[59.4 - 65.9]	0.16
'Bacillus_cereus_ATCC_4342.fna'	<i>Bacillus cereus</i> ATCC 14579	76.3	[72.3 - 79.9]	45.9	[43.4 - 48.5]	71.1	[67.6 - 74.3]	0.08
'Bacillus_cereus_B5-2.fna'	'Bacillus_cereus_R30980 3.fna'	63.9	[60.2 - 67.5]	45.9	[43.4 - 48.5]	61.0	[57.7 - 64.2]	0.24
'Bacillus_cereus_BAG5X 2-1.fna'	'Bacillus_cereus_R30980 3.fna'	61.4	[57.7 - 65.0]	45.9	[43.4 - 48.5]	58.9	[55.7 - 62.1]	0.15

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
' Bacillus_cereus_VD107.fna '	<i>Bacillus weihenstephanensis</i> NBRC 101238	59.7	[56.0 - 63.2]	45.9	[43.3 - 48.5]	57.5	[54.3 - 60.6]	0.05
' Bacillus_cereus_B5-2.fna '	<i>Bacillus luti</i> MCCC 1A00359	68.5	[64.6 - 72.2]	45.8	[43.3 - 48.4]	64.7	[61.4 - 67.9]	0.32
' Bacillus_cereus_AH187.fna '	<i>Bacillus cereus</i> ATCC 14579	67.9	[64.0 - 71.5]	45.8	[43.3 - 48.4]	64.2	[60.9 - 67.4]	0.22
' Bacillus_cereus_AH603.fna '	<i>Bacillus paramycooides</i> NH24A2	58.1	[54.5 - 61.6]	45.7	[43.1 - 48.3]	56.1	[52.9 - 59.2]	0.08
' Bacillus_cereus_172560 W.fna '	' Bacillus_cereus_ATCC_4342.fna '	70.5	[66.6 - 74.1]	45.6	[43.1 - 48.2]	66.3	[62.9 - 69.5]	0.39
' Bacillus_cereus_R30980 3.fna '	<i>Bacillus pacificus</i> MCCC 1A06182	63.4	[59.7 - 67.0]	45.5	[43.0 - 48.1]	60.5	[57.2 - 63.6]	0.15
' Bacillus_cereus_AH187.fna '	' Bacillus_cereus_R30980 3.fna '	66.2	[62.3 - 69.8]	45.3	[42.8 - 47.9]	62.6	[59.3 - 65.8]	0.15
' Bacillus_cereus_BAG5X 2-1.fna '	<i>Bacillus luti</i> MCCC 1A00359	65.8	[62.0 - 69.5]	45.2	[42.7 - 47.8]	62.3	[59.0 - 65.5]	0.24
' Bacillus_thuringiensis_serovar_andalouensis_B GSC_4AW1.fna '	<i>Bacillus cereus</i> ATCC 14579	71.6	[67.6 - 75.2]	45.2	[42.6 - 47.7]	67.0	[63.6 - 70.2]	0.17
' Bacillus_cereus_ATCC_4342.fna '	<i>Bacillus thuringiensis</i> ATCC 10792	65.0	[61.2 - 68.6]	45.0	[42.5 - 47.6]	61.6	[58.3 - 64.8]	0.38
' Bacillus_anthraxis_str_Ames_Ancestor.fna '	<i>Bacillus cereus</i> ATCC 14579	70.3	[66.4 - 74.0]	45.0	[42.5 - 47.6]	65.9	[62.5 - 69.1]	0.05
' Bacillus_cereus_BAG2X 1-2.fna '	<i>Bacillus luti</i> MCCC 1A00359	71.0	[67.0 - 74.6]	45.0	[42.5 - 47.6]	66.4	[63.0 - 69.6]	0.27
' Bacillus_cereus_ATCC_4342.fna '	' Bacillus_cereus_R30980 3.fna '	63.6	[59.8 - 67.2]	45.0	[42.5 - 47.6]	60.4	[57.2 - 63.6]	0.15
' Bacillus_anthraxis_str_Vollum.fna '	<i>Bacillus cereus</i> ATCC 14579	70.1	[66.1 - 73.7]	44.9	[42.3 - 47.4]	65.6	[62.3 - 68.9]	0.08
' Bacillus_cereus_R30980 3.fna '	<i>Bacillus albus</i> N35-10-2	62.3	[58.6 - 65.9]	44.9	[42.3 - 47.4]	59.3	[56.1 - 62.5]	0.42
' Bacillus_cereus_172560 W.fna '	<i>Bacillus paranthracis</i> MCCC 1A00395	64.0	[60.3 - 67.6]	44.8	[42.2 - 47.3]	60.7	[57.4 - 63.9]	0.37
' Bacillus_cereus_172560 W.fna '	<i>Bacillus toyonensis</i> NCIMB 14858	68.4	[64.5 - 72.0]	44.8	[42.2 - 47.4]	64.3	[60.9 - 67.5]	0.74
' Bacillus_cereus_BAG2X 1-1.fna '	<i>Bacillus toyonensis</i> NCIMB 14858	58.9	[55.3 - 62.5]	44.8	[42.3 - 47.4]	56.5	[53.3 - 59.6]	0.25
' Bacillus_cereus_ATCC_4342.fna '	<i>Bacillus luti</i> MCCC 1A00359	69.9	[66.0 - 73.6]	44.8	[42.3 - 47.4]	65.5	[62.1 - 68.7]	0.24
' Bacillus_cereus_B5-2.fna '	<i>Bacillus cereus</i> ATCC 14579	65.7	[61.9 - 69.4]	44.7	[42.2 - 47.3]	62.1	[58.8 - 65.3]	0.17
' Bacillus_cereus_R30980 3.fna '	<i>Bacillus paranthracis</i> MCCC 1A00395	61.8	[58.1 - 65.4]	44.7	[42.2 - 47.3]	58.9	[55.7 - 62.0]	0.17
' Bacillus_cereus_172560 W.fna '	' Bacillus_thuringiensis_serovar_andalouensis_B GSC_4AW1.fna '	65.6	[61.8 - 69.2]	44.7	[42.2 - 47.3]	61.9	[58.6 - 65.1]	0.3
' Bacillus_cereus_172560 W.fna '	' Bacillus_cereus_AH187.fna '	63.8	[60.0 - 67.4]	44.6	[42.1 - 47.2]	60.5	[57.2 - 63.6]	0.69
' Bacillus_cereus_BAG2X 1-1.fna '	<i>Bacillus luti</i> MCCC 1A00359	61.2	[57.5 - 64.8]	44.6	[42.0 - 47.1]	58.3	[55.1 - 61.5]	0.14
' Bacillus_anthraxis_str_Kruger_B.fna '	<i>Bacillus cereus</i> ATCC 14579	69.4	[65.5 - 73.1]	44.6	[42.1 - 47.2]	65.0	[61.7 - 68.2]	0.14
' Bacillus_cereus_BAG10-2.fna '	<i>Bacillus thuringiensis</i> ATCC 10792	63.8	[60.0 - 67.4]	44.5	[42.0 - 47.1]	60.4	[57.2 - 63.6]	0.31

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_cereus_B5-2.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	65.6	[61.7 - 69.2]	44.5	[41.9 - 47.0]	61.8	[58.5 - 65.0]	0.43
'Bacillus_cereus_AH187.fna'	<i>Bacillus luti</i> MCCC 1A00359	64.7	[60.9 - 68.3]	44.5	[42.0 - 47.1]	61.2	[57.9 - 64.4]	0.07
'Bacillus_cereus_172560 W.fna'	'Bacillus_cereus_B5-2.fna'	66.2	[62.4 - 69.8]	44.4	[41.9 - 47.0]	62.3	[59.0 - 65.5]	0.3
'Bacillus_cereus_AH1271.fna'	<i>Bacillus luti</i> MCCC 1A00359	66.7	[62.9 - 70.4]	44.4	[41.9 - 47.0]	62.8	[59.5 - 66.0]	0.18
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus cereus</i> ATCC 14579	72.6	[68.6 - 76.2]	44.4	[41.9 - 47.0]	67.5	[64.1 - 70.7]	0.15
'Bacillus_cereus_172560 W.fna'	'Bacillus_cereus_BAG10-2.fna'	69.8	[65.9 - 73.5]	44.4	[41.8 - 46.9]	65.2	[61.9 - 68.5]	0.32
'Bacillus_cereus_R30980 3.fna'	'Bacillus_thuringiensis_seroovar_andalousiensis_BGSC_4AW1.fna'	62.7	[59.0 - 66.3]	44.4	[41.9 - 47.0]	59.5	[56.3 - 62.7]	0.24
'Bacillus_anthraxis_str_Ames_Ancestorfna'	'Bacillus_cereus_172560 W.fna'	66.0	[62.1 - 69.6]	44.4	[41.8 - 46.9]	62.1	[58.8 - 65.3]	0.43
'Bacillus_cereus_B5-2.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	60.6	[57.0 - 64.2]	44.4	[41.9 - 47.0]	57.8	[54.6 - 60.9]	0.3
'Bacillus_cereus_172560 W.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	67.8	[63.9 - 71.5]	44.3	[41.8 - 46.9]	63.6	[60.3 - 66.8]	0.38
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_172560 W.fna'	65.8	[62.0 - 69.4]	44.3	[41.8 - 46.9]	62.0	[58.7 - 65.2]	0.39
'Bacillus_cereus_172560 W.fna'	'Bacillus_cereus_BAG5X 2-1.fna'	63.9	[60.1 - 67.5]	44.3	[41.8 - 46.9]	60.4	[57.2 - 63.6]	0.39
'Bacillus_cereus_BAG10-2.fna'	'Bacillus_cereus_BAG2X 1-1.fna'	58.3	[54.7 - 61.8]	44.3	[41.7 - 46.8]	55.8	[52.7 - 58.9]	0.17
'Bacillus_cereus_AH187.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	60.0	[56.3 - 63.5]	44.3	[41.8 - 46.9]	57.2	[54.0 - 60.4]	0.69
'Bacillus_thuringiensis_seroovar_andalousiensis_BGSC_4AW1.fna'	<i>Bacillus luti</i> MCCC 1A00359	67.8	[63.9 - 71.5]	44.2	[41.7 - 46.8]	63.6	[60.2 - 66.8]	0.32
'Bacillus_cereus_BAG5X 2-1.fna'	<i>Bacillus cereus</i> ATCC 14579	66.8	[62.9 - 70.4]	44.2	[41.7 - 46.8]	62.7	[59.4 - 65.9]	0.08
'Bacillus_thuringiensis_seroovar_andalousiensis_BGSC_4AW1.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	60.4	[56.7 - 63.9]	44.2	[41.6 - 46.7]	57.5	[54.3 - 60.6]	0.3
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_172560 W.fna'	65.6	[61.8 - 69.2]	44.2	[41.7 - 46.8]	61.8	[58.5 - 65.0]	0.33
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_R30980 3.fna'	64.0	[60.2 - 67.6]	44.2	[41.7 - 46.8]	60.5	[57.2 - 63.6]	0.15
'Bacillus_cereus_172560 W.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	64.6	[60.8 - 68.2]	44.2	[41.7 - 46.8]	60.9	[57.7 - 64.1]	0.39
'Bacillus_anthraxis_str_Ames_Ancestorfna'	'Bacillus_cereus_R30980 3.fna'	64.1	[60.4 - 67.8]	44.2	[41.7 - 46.8]	60.6	[57.3 - 63.8]	0.11
'Bacillus_cereus_VD107.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	58.5	[54.9 - 62.0]	44.1	[41.6 - 46.6]	55.9	[52.8 - 59.1]	0.11
'Bacillus_cereus_BAG5X 2-1.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	67.7	[63.9 - 71.4]	44.1	[41.6 - 46.7]	63.5	[60.1 - 66.7]	0.35
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus luti</i> MCCC 1A00359	66.9	[63.1 - 70.5]	44.1	[41.6 - 46.7]	62.8	[59.5 - 66.0]	0.23
'Bacillus_anthraxis_str_Ames_Ancestorfna'	<i>Bacillus luti</i> MCCC 1A00359	67.1	[63.3 - 70.8]	44.1	[41.6 - 46.7]	63.0	[59.7 - 66.2]	0.2
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_R30980 3.fna'	63.9	[60.2 - 67.5]	44.1	[41.6 - 46.7]	60.4	[57.1 - 63.6]	0.21

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
' Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus luti</i> MCCC 1A00359	66.9	[63.0 - 70.5]	44.0	[41.5 - 46.6]	62.7	[59.4 - 65.9]	0.3
' Bacillus_cereus_172560_W.fna'	<i>Bacillus albus</i> N35-10-2	68.1	[64.2 - 71.8]	44.0	[41.5 - 46.6]	63.7	[60.4 - 66.9]	0.12
' Bacillus_cereus_BAG2X_1-2.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	69.3	[65.4 - 72.9]	44.0	[41.5 - 46.6]	64.7	[61.3 - 67.9]	0.38
' Bacillus_cereus_AH1272.fna'	' Bacillus_cereus_VD107.fna'	56.7	[53.1 - 60.2]	44.0	[41.5 - 46.6]	54.4	[51.3 - 57.5]	0.04
' Bacillus_cereus_BAG5X_2-1.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	59.4	[55.7 - 62.9]	44.0	[41.5 - 46.6]	56.6	[53.5 - 59.8]	0.38
' Bacillus_cereus_172560_W.fna'	' Bacillus_cereus_BAG2X_1-2.fna'	68.6	[64.7 - 72.3]	43.9	[41.4 - 46.5]	64.1	[60.8 - 67.3]	0.36
' Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	61.9	[58.2 - 65.5]	43.9	[41.4 - 46.5]	58.7	[55.4 - 61.8]	0.39
' Bacillus_cereus_172560_W.fna'	' Bacillus_cereus_AH1271.fna'	64.7	[60.9 - 68.3]	43.9	[41.4 - 46.4]	60.9	[57.7 - 64.1]	0.45
' Bacillus_anthraxis_str_Ames_Ancestor.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	62.1	[58.4 - 65.7]	43.9	[41.4 - 46.5]	58.8	[55.6 - 62.0]	0.42
' Bacillus_cereus_BAG2X_1-1.fna'	' Bacillus_cereus_R30980_3.fna'	55.9	[52.3 - 59.4]	43.8	[41.3 - 46.4]	53.7	[50.6 - 56.8]	0.05
' Bacillus_cereus_B5-2.fna'	' Bacillus_cereus_BAG10-2.fna'	66.5	[62.6 - 70.1]	43.8	[41.2 - 46.3]	62.3	[59.0 - 65.5]	0.02
' Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	61.6	[57.9 - 65.2]	43.8	[41.3 - 46.4]	58.4	[55.2 - 61.6]	0.33
' Bacillus_cereus_AH1272.fna'	<i>Bacillus paramycooides</i> NH24A2	57.5	[53.9 - 61.0]	43.7	[41.1 - 46.2]	55.0	[51.8 - 58.1]	0.02
' Bacillus_cereus_BAG2X_1-2.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	61.9	[58.1 - 65.4]	43.7	[41.2 - 46.3]	58.6	[55.4 - 61.7]	0.35
' Bacillus_cereus_AH1271.fna'	<i>Bacillus cereus</i> ATCC 14579	66.5	[62.7 - 70.2]	43.7	[41.2 - 46.3]	62.4	[59.1 - 65.6]	0.02
' Bacillus_cereus_BAG2X_1-2.fna'	<i>Bacillus cereus</i> ATCC 14579	70.8	[66.8 - 74.4]	43.7	[41.2 - 46.3]	65.8	[62.4 - 69.0]	0.11
' Bacillus_cereus_AH1271.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	60.6	[56.9 - 64.1]	43.5	[41.0 - 46.0]	57.4	[54.2 - 60.6]	0.44
' Bacillus_cereus_BAG10-2.fna'	' Bacillus_cereus_BAG5X_2-1.fna'	67.8	[63.9 - 71.4]	43.4	[40.9 - 45.9]	63.2	[59.9 - 66.4]	0.07
' Bacillus_cereus_BAG10-2.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	71.2	[67.2 - 74.8]	43.4	[40.9 - 46.0]	66.0	[62.6 - 69.2]	0.05
' Bacillus_cereus_BAG10-2.fna'	' Bacillus_cereus_BAG2X_1-2.fna'	69.9	[66.0 - 73.6]	43.4	[40.9 - 45.9]	64.9	[61.6 - 68.2]	0.03
' Bacillus_cereus_R30980_3.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	63.2	[59.4 - 66.8]	43.3	[40.7 - 45.8]	59.5	[56.3 - 62.7]	0.2
' Bacillus_cereus_172560_W.fna'	<i>Bacillus luti</i> MCCC 1A00359	63.7	[59.9 - 67.3]	43.3	[40.7 - 45.8]	59.9	[56.6 - 63.0]	0.63
' Bacillus_cereus_AH187.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	62.6	[58.9 - 66.2]	43.2	[40.7 - 45.8]	59.0	[55.8 - 62.2]	0.05
' Bacillus_cereus_AH1271.fna'	' Bacillus_cereus_AH1272.fna'	65.3	[61.4 - 68.9]	43.2	[40.6 - 45.7]	61.1	[57.8 - 64.3]	0.05
' Bacillus_cereus_ATCC_4342.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	69.4	[65.4 - 73.0]	43.2	[40.6 - 45.7]	64.4	[61.1 - 67.6]	0.35
' Bacillus_cereus_AH1271.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	64.8	[61.0 - 68.4]	43.1	[40.6 - 45.6]	60.7	[57.4 - 63.9]	0.29
' Bacillus_cereus_172560_W.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	60.6	[56.9 - 64.1]	43.1	[40.6 - 45.7]	57.3	[54.1 - 60.5]	0.46

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	64.7	[60.9 - 68.3]	43.1	[40.6 - 45.7]	60.7	[57.4 - 63.9]	0.31
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	64.5	[60.7 - 68.1]	43.0	[40.5 - 45.6]	60.5	[57.2 - 63.6]	0.34
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus luti</i> MCCC 1A00359	68.8	[64.9 - 72.4]	43.0	[40.5 - 45.6]	63.9	[60.6 - 67.1]	0.31
'Bacillus_cereus_R30980_3.fna'	<i>Bacillus cereus</i> ATCC 14579	63.2	[59.4 - 66.8]	42.9	[40.4 - 45.5]	59.3	[56.1 - 62.5]	0.07
'Bacillus_cereus_172560_W.fna'	'Bacillus_cereus_R30980_3.fna'	60.3	[56.7 - 63.9]	42.8	[40.3 - 45.4]	57.0	[53.8 - 60.2]	0.54
'Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	64.0	[60.2 - 67.6]	42.8	[40.3 - 45.3]	60.0	[56.7 - 63.1]	0.41
'Bacillus_cereus_AH1272.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	64.2	[60.5 - 67.9]	42.8	[40.3 - 45.3]	60.2	[56.9 - 63.3]	0.06
'Bacillus_thuringiensis_serovar_andalousiensis_B_GSC_4AW1.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	66.7	[62.9 - 70.3]	42.8	[40.3 - 45.3]	62.1	[58.8 - 65.3]	0.44
'Bacillus_cereus_ATCC_342.fna'	'Bacillus_cereus_BAG10-2.fna'	68.9	[65.0 - 72.6]	42.7	[40.2 - 45.2]	63.9	[60.5 - 67.1]	0.06
'Bacillus_cereus_R30980_3.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	54.9	[51.3 - 58.3]	42.7	[40.2 - 45.2]	52.5	[49.4 - 55.6]	0.53
'Bacillus_cereus_BAG10-2.fna'	'Bacillus_cereus_R30980_3.fna'	61.9	[58.2 - 65.5]	42.7	[40.2 - 45.2]	58.3	[55.1 - 61.4]	0.22
'Bacillus_cereus_AH1271.fna'	'Bacillus_cereus_BAG10-2.fna'	64.8	[61.0 - 68.4]	42.6	[40.1 - 45.1]	60.5	[57.3 - 63.7]	0.13
'Bacillus_cereus_B5-2.fna'	'Bacillus_cereus_BAG2X_1-1.fna'	55.4	[51.9 - 58.9]	42.5	[40.0 - 45.1]	52.9	[49.8 - 56.0]	0.19
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_BAG10-2.fna'	61.1	[57.4 - 64.7]	42.5	[40.0 - 45.0]	57.5	[54.3 - 60.7]	0.37
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_BAG10-2.fna'	64.1	[60.3 - 67.7]	42.4	[39.9 - 45.0]	59.9	[56.6 - 63.1]	0.1
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_BAG10-2.fna'	63.8	[60.1 - 67.4]	42.4	[39.9 - 44.9]	59.7	[56.4 - 62.9]	0.07
'Bacillus_cereus_AH1272.fna'	'Bacillus_cereus_BAG2X_1-2.fna'	60.9	[57.2 - 64.5]	42.4	[39.9 - 45.0]	57.4	[54.2 - 60.5]	0.05
'Bacillus_cereus_BAG2X_1-1.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	57.2	[53.6 - 60.7]	42.3	[39.8 - 44.9]	54.3	[51.2 - 57.4]	0.11
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_BAG10-2.fna'	63.6	[59.8 - 67.2]	42.3	[39.8 - 44.8]	59.5	[56.2 - 62.6]	0.01
'Bacillus_cereus_BAG2X_1-1.fna'	'Bacillus_cereus_BAG5X_2-1.fna'	55.7	[52.2 - 59.2]	42.3	[39.8 - 44.8]	53.1	[50.0 - 56.2]	0.1
'Bacillus_cereus_BAG10-2.fna'	'Bacillus_thuringiensis_serovar_andalousiensis_B_GSC_4AW1.fna'	66.0	[62.2 - 69.6]	42.3	[39.8 - 44.9]	61.4	[58.1 - 64.6]	0.02
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus albus</i> N35-10-2	66.3	[62.4 - 69.9]	42.2	[39.7 - 44.7]	61.6	[58.3 - 64.8]	0.2
'Bacillus_cereus_AH1272.fna'	'Bacillus_cereus_BAG5X_2-1.fna'	58.6	[55.0 - 62.1]	42.2	[39.7 - 44.7]	55.4	[52.2 - 58.5]	0.01
'Bacillus_cereus_AH1272.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	62.0	[58.3 - 65.6]	42.2	[39.7 - 44.8]	58.2	[55.0 - 61.3]	0.03
'Bacillus_cereus_BAG2X_1-1.fna'	'Bacillus_cereus_BAG2X_1-2.fna'	55.4	[51.8 - 58.9]	42.2	[39.7 - 44.8]	52.8	[49.7 - 55.9]	0.13
'Bacillus_cereus_BAG2X_1-1.fna'	<i>Bacillus cereus</i> ATCC 14579	55.9	[52.3 - 59.4]	42.1	[39.6 - 44.7]	53.1	[50.0 - 56.2]	0.02
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	62.9	[59.2 - 66.5]	42.1	[39.6 - 44.7]	58.9	[55.6 - 62.0]	0.05

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	61.8	[58.1 - 65.4]	42.1	[39.6 - 44.6]	58.0	[54.8 - 61.1]	0.14
'Bacillus_cereus_BAG2X 1-1.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	56.5	[52.9 - 60.0]	42.1	[39.6 - 44.7]	53.7	[50.5 - 56.8]	0.16
'Bacillus_cereus_BAG2X 1-1.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	49.1	[45.7 - 52.6]	42.0	[39.5 - 44.6]	47.5	[44.5 - 50.6]	0.48
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	62.0	[58.3 - 65.6]	41.9	[39.4 - 44.4]	58.1	[54.9 - 61.2]	0.01
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	61.5	[57.8 - 65.1]	41.9	[39.4 - 44.4]	57.6	[54.4 - 60.8]	0.07
'Bacillus_cereus_AH1272.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	60.7	[57.0 - 64.3]	41.9	[39.4 - 44.5]	57.0	[53.8 - 60.2]	0.34
'Bacillus_cereus_172560 W.fna'	'Bacillus_cereus_BAG2X 1-1.fna'	53.6	[50.1 - 57.0]	41.8	[39.3 - 44.4]	51.2	[48.1 - 54.2]	0.49
'Bacillus_cereus_AH1272.fna'	'Bacillus_cereus_B5-2.fna'	60.1	[56.4 - 63.6]	41.7	[39.2 - 44.3]	56.5	[53.3 - 59.6]	0.1
'Bacillus_cereus_BAG2X 1-1.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	53.6	[50.1 - 57.0]	41.6	[39.1 - 44.1]	51.1	[48.0 - 54.2]	0.03
'Bacillus_cereus_AH1272.fna'	'Bacillus_cereus_R30980 3.fna'	63.6	[59.8 - 67.2]	41.6	[39.1 - 44.2]	59.2	[56.0 - 62.4]	0.14
'Bacillus_cereus_AH1271.fna'	'Bacillus_cereus_BAG2X 1-1.fna'	54.4	[50.9 - 57.9]	41.6	[39.1 - 44.1]	51.8	[48.7 - 54.8]	0.04
'Bacillus_cereus_AH1272.fna'	'Bacillus_cereus_BAG10-2.fna'	60.4	[56.7 - 64.0]	41.4	[38.9 - 43.9]	56.6	[53.4 - 59.7]	0.08
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	61.2	[57.5 - 64.8]	41.3	[38.8 - 43.8]	57.2	[54.0 - 60.3]	0.32
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_BAG2X 1-1.fna'	53.1	[49.6 - 56.6]	41.2	[38.7 - 43.8]	50.6	[47.5 - 53.7]	0.06
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_BAG2X 1-1.fna'	52.9	[49.4 - 56.4]	41.2	[38.7 - 43.7]	50.4	[47.4 - 53.5]	0.1
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_AH1272.fna'	60.5	[56.8 - 64.1]	41.2	[38.7 - 43.7]	56.6	[53.4 - 59.7]	0.29
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_BAG2X 1-1.fna'	52.9	[49.4 - 56.4]	41.1	[38.6 - 43.6]	50.4	[47.3 - 53.5]	0.16
'Bacillus_cereus_AH1272.fna'	'Bacillus_cereus_BAG2X 1-1.fna'	53.9	[50.4 - 57.4]	41.1	[38.6 - 43.6]	51.3	[48.2 - 54.3]	0.09
'Bacillus_cereus_ATCC_4342.fna'	'Bacillus_cereus_BAG2X 1-1.fna'	57.1	[53.6 - 60.6]	41.1	[38.6 - 43.6]	53.9	[50.7 - 57.0]	0.1
'Bacillus_cereus_BAG2X 1-1.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	54.6	[51.1 - 58.1]	41.1	[38.6 - 43.6]	51.8	[48.7 - 54.9]	0.12
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_BAG2X 1-1.fna'	53.6	[50.1 - 57.1]	41.1	[38.6 - 43.7]	51.0	[47.9 - 54.1]	0.2
'Bacillus_cereus_B5-2.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	58.5	[54.9 - 62.0]	41.1	[38.6 - 43.6]	54.9	[51.8 - 58.0]	0.03
'Bacillus_cereus_BAG10-2.fna'	'Bacillus_cereus_HuA4-10.fna'	63.1	[59.3 - 66.7]	41.0	[38.5 - 43.5]	58.6	[55.4 - 61.7]	0.1
'Bacillus_cereus_AH1272.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	62.5	[58.8 - 66.1]	41.0	[38.6 - 43.6]	58.2	[55.0 - 61.3]	0.02
'Bacillus_cereus_AH603.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	61.7	[58.0 - 65.3]	41.0	[38.5 - 43.5]	57.5	[54.3 - 60.6]	0.44
'Bacillus_cereus_BAG2X 1-1.fna'	'Bacillus_thuringiensis_seroovar_andalouisiensis_BGSC_4AW1.fna'	52.8	[49.3 - 56.2]	41.0	[38.5 - 43.6]	50.3	[47.2 - 53.3]	0.19
'Bacillus_cereus_BAG5X 2-1.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	58.1	[54.4 - 61.6]	41.0	[38.5 - 43.5]	54.5	[51.4 - 57.6]	0.06

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_cereus_BAG2X 1-1.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	54.8	[51.3 - 58.3]	40.9	[38.4 - 43.4]	51.9	[48.8 - 55.0]	0.1
'Bacillus_cereus_BAG2X 1-1.fna'	'Bacillus_cereus_HuA4-10.fna'	57.7	[54.1 - 61.2]	40.9	[38.4 - 43.5]	54.2	[51.1 - 57.3]	0.07
'Bacillus_cereus_BAG2X 1-2.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	59.5	[55.9 - 63.1]	40.8	[38.3 - 43.4]	55.7	[52.5 - 58.8]	0.03
'Bacillus_cereus_BAG2X 1-1.fna'	<i>Bacillus albus</i> N35-10-2	51.9	[48.4 - 55.3]	40.8	[38.3 - 43.4]	49.5	[46.4 - 52.5]	0.37
'Bacillus_cereus_BAG2X 1-2.fna'	<i>Bacillus mycoides</i> DSM 2048	65.5	[61.7 - 69.1]	40.7	[38.2 - 43.2]	60.4	[57.1 - 63.5]	0.03
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	67.7	[63.8 - 71.3]	40.7	[38.2 - 43.2]	62.1	[58.8 - 65.2]	0.07
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus mycoides</i> DSM 2048	67.0	[63.1 - 70.6]	40.7	[38.2 - 43.3]	61.5	[58.3 - 64.7]	0.07
'Bacillus_cereus_AH603.fna'	'Bacillus_cereus_BAG10-2.fna'	63.9	[60.1 - 67.5]	40.6	[38.1 - 43.2]	59.1	[55.9 - 62.2]	0.02
'Bacillus_cereus_BAG2X 1-2.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	67.0	[63.1 - 70.6]	40.6	[38.1 - 43.2]	61.5	[58.2 - 64.7]	0.03
'Bacillus_cereus_BAG2X 1-1.fna'	<i>Bacillus mycoides</i> DSM 2048	56.8	[53.2 - 60.3]	40.6	[38.1 - 43.1]	53.4	[50.3 - 56.5]	0.1
'Bacillus_cereus_BAG2X 1-1.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	57.5	[53.9 - 61.0]	40.5	[38.0 - 43.0]	53.9	[50.8 - 57.0]	0.1
'Bacillus_cereus_AH603.fna'	'Bacillus_cereus_BAG2X 1-1.fna'	55.2	[51.7 - 58.7]	40.5	[38.0 - 43.0]	52.1	[49.0 - 55.2]	0.19
'Bacillus_cereus_BAG5X 2-1.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	64.0	[60.2 - 67.6]	40.5	[38.0 - 43.0]	59.1	[55.9 - 62.3]	0.0
'Bacillus_cereus_BAG5X 2-1.fna'	<i>Bacillus mycoides</i> DSM 2048	62.6	[58.8 - 66.2]	40.5	[38.1 - 43.1]	58.0	[54.8 - 61.2]	0.0
'Bacillus_cereus_AH1271.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	57.1	[53.5 - 60.6]	40.2	[37.7 - 42.8]	53.5	[50.4 - 56.6]	0.12
'Bacillus_cereus_B5-2.fna'	<i>Bacillus mycoides</i> DSM 2048	62.7	[58.9 - 66.3]	40.2	[37.7 - 42.7]	57.9	[54.7 - 61.1]	0.09
'Bacillus_cereus_AH1272.fna'	<i>Bacillus albus</i> N35-10-2	57.1	[53.5 - 60.6]	40.1	[37.6 - 42.6]	53.5	[50.4 - 56.6]	0.28
'Bacillus_cereus_B5-2.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	63.6	[59.9 - 67.3]	40.1	[37.7 - 42.7]	58.7	[55.5 - 61.9]	0.08
'Bacillus_cereus_AH1272.fna'	'Bacillus_cereus_ATCC_4342.fna'	62.5	[58.8 - 66.1]	40.1	[37.6 - 42.6]	57.8	[54.6 - 60.9]	0.02
'Bacillus_cereus_AH1272.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	57.0	[53.4 - 60.5]	40.0	[37.5 - 42.5]	53.4	[50.3 - 56.5]	0.03
'Bacillus_cereus_BAG2X 1-1.fna'	<i>Bacillus paramycoides</i> NH24A2	56.6	[53.0 - 60.1]	40.0	[37.5 - 42.6]	53.1	[50.0 - 56.2]	0.11
'Bacillus_cereus_AH1272.fna'	<i>Bacillus luti</i> MCCC 1A00359	62.4	[58.6 - 66.0]	40.0	[37.5 - 42.6]	57.7	[54.5 - 60.8]	0.23
'Bacillus_cereus_R30980 3.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	56.1	[52.6 - 59.6]	40.0	[37.5 - 42.5]	52.7	[49.6 - 55.8]	0.21
'Bacillus_cereus_BAG2X 1-1.fna'	'Bacillus_cereus_VD107.fna'	55.9	[52.3 - 59.4]	40.0	[37.5 - 42.5]	52.5	[49.4 - 55.6]	0.05
'Bacillus_cereus_AH1272.fna'	'Bacillus_thuringiensis_seroovar_andalusiensis_BGSC_4AW1.fna'	56.2	[52.7 - 59.7]	39.9	[37.4 - 42.4]	52.7	[49.6 - 55.8]	0.1

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_cereus_AH1271.fna'	<i>Bacillus mycooides</i> DSM 2048	59.6	[56.0 - 63.2]	39.7	[37.2 - 42.2]	55.4	[52.2 - 58.5]	0.06
'Bacillus_cereus_AH603.fna'	'Bacillus_cereus_BAG5X 2-1.fna'	61.4	[57.7 - 65.0]	39.7	[37.2 - 42.2]	56.7	[53.6 - 59.9]	0.09
'Bacillus_cereus_AH603.fna'	'Bacillus_cereus_B5-2.fna'	64.7	[60.9 - 68.3]	39.6	[37.1 - 42.1]	59.3	[56.1 - 62.5]	0.01
'Bacillus_cereus_AH1271.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	63.3	[59.5 - 66.9]	39.6	[37.1 - 42.1]	58.2	[55.0 - 61.3]	0.06
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_AH1272.fna'	60.4	[56.7 - 64.0]	39.6	[37.1 - 42.1]	55.9	[52.8 - 59.0]	0.01
'Bacillus_cereus_ATCC_4342.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	61.0	[57.3 - 64.6]	39.6	[37.1 - 42.2]	56.4	[53.3 - 59.6]	0.06
'Bacillus_cereus_AH603.fna'	'Bacillus_cereus_BAG2X 1-2.fna'	63.2	[59.4 - 66.8]	39.6	[37.2 - 42.2]	58.1	[54.9 - 61.3]	0.06
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_AH1272.fna'	60.6	[56.9 - 64.1]	39.6	[37.1 - 42.1]	56.1	[52.9 - 59.2]	0.02
'Bacillus_cereus_AH603.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	64.1	[60.3 - 67.7]	39.6	[37.1 - 42.1]	58.8	[55.6 - 62.0]	0.08
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_AH1272.fna'	60.4	[56.7 - 64.0]	39.5	[37.0 - 42.0]	55.9	[52.7 - 59.0]	0.07
'Bacillus_thuringiensis_serovar_andalousiensis_BGSC_4AW1.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	56.0	[52.4 - 59.5]	39.5	[37.0 - 42.0]	52.4	[49.3 - 55.4]	0.03
'Bacillus_cereus_AH1272.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	55.7	[52.2 - 59.2]	39.4	[36.9 - 41.9]	52.2	[49.1 - 55.2]	0.4
'Bacillus_cereus_AH1272.fna'	<i>Bacillus cereus</i> ATCC 14579	61.0	[57.3 - 64.6]	39.4	[36.9 - 41.9]	56.4	[53.2 - 59.5]	0.07
'Bacillus_cereus_BAG5X 2-1.fna'	'Bacillus_cereus_HuA4-10.fna'	60.9	[57.2 - 64.5]	39.4	[36.9 - 41.9]	56.2	[53.1 - 59.4]	0.03
'Bacillus_cereus_AH187.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	56.1	[52.6 - 59.6]	39.4	[36.9 - 41.9]	52.5	[49.4 - 55.6]	0.36
'Bacillus_cereus_B5-2.fna'	'Bacillus_cereus_HuA4-10.fna'	61.0	[57.4 - 64.6]	39.4	[37.0 - 42.0]	56.4	[53.2 - 59.5]	0.12
'Bacillus_cereus_172560W.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	56.0	[52.4 - 59.5]	39.4	[36.9 - 41.9]	52.3	[49.3 - 55.4]	0.33
'Bacillus_cereus_VD107.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	56.7	[53.1 - 60.2]	39.3	[36.8 - 41.8]	52.9	[49.8 - 55.9]	0.3
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	58.1	[54.5 - 61.6]	39.2	[36.7 - 41.7]	54.0	[50.8 - 57.0]	0.1
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	57.9	[54.3 - 61.4]	39.2	[36.7 - 41.7]	53.8	[50.7 - 56.9]	0.06
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	63.3	[59.5 - 66.9]	39.1	[36.7 - 41.7]	58.0	[54.8 - 61.1]	0.04
'Bacillus_cereus_BAG2X 1-2.fna'	'Bacillus_cereus_HuA4-10.fna'	60.7	[57.1 - 64.3]	39.1	[36.7 - 41.7]	56.0	[52.9 - 59.1]	0.06
'Bacillus_cereus_172560W.fna'	'Bacillus_cereus_AH1272.fna'	57.9	[54.3 - 61.4]	39.1	[36.7 - 41.7]	53.8	[50.6 - 56.8]	0.4
'Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	57.9	[54.3 - 61.4]	39.1	[36.6 - 41.6]	53.7	[50.6 - 56.8]	0.0
'Bacillus_cereus_R309803.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	58.9	[55.3 - 62.5]	39.0	[36.5 - 41.5]	54.5	[51.4 - 57.6]	0.15
'Bacillus_cereus_R309803.fna'	<i>Bacillus mycooides</i> DSM 2048	58.5	[54.9 - 62.0]	38.9	[36.4 - 41.4]	54.2	[51.1 - 57.3]	0.15

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus paramycooides</i> NH24A2	59.8	[56.2 - 63.4]	38.8	[36.4 - 41.4]	55.2	[52.0 - 58.3]	0.06
'Bacillus_cereus_AH603.fna'	'Bacillus_cereus_AH1271.fna'	59.7	[56.0 - 63.2]	38.8	[36.3 - 41.3]	55.1	[51.9 - 58.2]	0.15
'Bacillus_cereus_BAG10-2.fna'	'Bacillus_cereus_VD107.fna'	56.5	[53.0 - 60.0]	38.7	[36.2 - 41.2]	52.5	[49.4 - 55.6]	0.12
'Bacillus_cereus_AH603.fna'	<i>Bacillus luti</i> MCCC 1A00359	62.4	[58.7 - 66.0]	38.7	[36.2 - 41.2]	57.2	[54.0 - 60.3]	0.33
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus luti</i> MCCC 1A00359	60.6	[56.9 - 64.1]	38.6	[36.2 - 41.2]	55.7	[52.5 - 58.8]	0.21
'Bacillus_cereus_AH603.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	59.2	[55.6 - 62.7]	38.5	[36.0 - 41.0]	54.6	[51.4 - 57.7]	0.16
'Bacillus_cereus_AH1271.fna'	'Bacillus_cereus_HuA4-10.fna'	58.1	[54.5 - 61.6]	38.5	[36.0 - 41.0]	53.7	[50.6 - 56.8]	0.03
'Bacillus_cereus_HuA4-10.fna'	'Bacillus_cereus_R309803.fna'	54.9	[51.4 - 58.4]	38.4	[35.9 - 40.9]	51.2	[48.1 - 54.2]	0.12
'Bacillus_cereus_ATCC_4342.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	64.7	[60.9 - 68.3]	38.3	[35.8 - 40.8]	58.7	[55.5 - 61.9]	0.0
'Bacillus_cereus_ATCC_4342.fna'	<i>Bacillus mycooides</i> DSM 2048	62.3	[58.6 - 65.9]	38.3	[35.8 - 40.8]	56.9	[53.7 - 60.1]	0.0
'Bacillus_cereus_AH603.fna'	'Bacillus_cereus_R309803.fna'	60.0	[56.3 - 63.5]	38.3	[35.9 - 40.9]	55.1	[52.0 - 58.2]	0.24
'Bacillus_thuringiensis_serovar_andalousiensis_BGSC_4AW1.fna'	<i>Bacillus mycooides</i> DSM 2048	57.4	[53.8 - 60.9]	38.3	[35.8 - 40.8]	53.1	[50.0 - 56.2]	0.09
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	55.5	[52.0 - 59.0]	38.3	[35.8 - 40.8]	51.6	[48.5 - 54.7]	0.41
'Bacillus_cereus_AH187.fna'	<i>Bacillus mycooides</i> DSM 2048	56.5	[52.9 - 60.0]	38.3	[35.9 - 40.9]	52.4	[49.3 - 55.5]	0.3
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	<i>Bacillus mycooides</i> DSM 2048	58.0	[54.4 - 61.6]	38.2	[35.7 - 40.7]	53.5	[50.4 - 56.6]	0.04
'Bacillus_cereus_172560W.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	61.2	[57.5 - 64.7]	38.2	[35.8 - 40.7]	56.0	[52.8 - 59.1]	0.39
'Bacillus_thuringiensis_serovar_andalousiensis_BGSC_4AW1.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	59.1	[55.5 - 62.7]	38.2	[35.7 - 40.7]	54.4	[51.3 - 57.5]	0.09
'Bacillus_cereus_172560W.fna'	<i>Bacillus mycooides</i> DSM 2048	60.9	[57.3 - 64.5]	38.2	[35.7 - 40.7]	55.8	[52.6 - 58.9]	0.39
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	56.0	[52.4 - 59.5]	38.1	[35.7 - 40.7]	51.9	[48.8 - 55.0]	0.04
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus mycooides</i> DSM 2048	57.8	[54.2 - 61.4]	38.1	[35.7 - 40.7]	53.4	[50.3 - 56.5]	0.0
'Bacillus_cereus_AH187.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	58.9	[55.2 - 62.4]	38.1	[35.7 - 40.7]	54.2	[51.0 - 57.3]	0.3
'Bacillus_cereus_172560W.fna'	'Bacillus_cereus_HuA4-10.fna'	58.1	[54.5 - 61.6]	38.1	[35.6 - 40.6]	53.5	[50.4 - 56.6]	0.42
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	60.5	[56.9 - 64.1]	38.1	[35.6 - 40.6]	55.5	[52.3 - 58.6]	0.04
'Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus mycooides</i> DSM 2048	57.7	[54.1 - 61.3]	38.1	[35.6 - 40.6]	53.3	[50.1 - 56.3]	0.06
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus cereus</i> ATCC 14579	60.9	[57.2 - 64.5]	38.0	[35.5 - 40.5]	55.7	[52.5 - 58.8]	0.05

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	60.3	[56.7 - 63.9]	38.0	[35.6 - 40.6]	55.3	[52.1 - 58.4]	0.01
'Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	59.9	[56.3 - 63.5]	38.0	[35.5 - 40.5]	54.9	[51.8 - 58.0]	0.06
'Bacillus_cereus_B5-2.fna'	<i>Bacillus paramycooides</i> NH24A2	54.3	[50.8 - 57.7]	37.9	[35.4 - 40.4]	50.5	[47.4 - 53.5]	0.07
'Bacillus_cereus_VD107.fna'	<i>Bacillus luti</i> MCCC 1A00359	54.7	[51.2 - 58.2]	37.9	[35.5 - 40.4]	50.8	[47.7 - 53.9]	0.19
'Bacillus_cereus_AH603.fna'	<i>Bacillus cereus</i> ATCC 14579	61.4	[57.7 - 64.9]	37.9	[35.4 - 40.4]	56.0	[52.8 - 59.1]	0.17
'Bacillus_cereus_AH603.fna'	'Bacillus_cereus_ATCC_4342.fna'	60.3	[56.6 - 63.9]	37.9	[35.4 - 40.4]	55.2	[52.0 - 58.3]	0.09
'Bacillus_cereus_VD107.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	54.6	[51.1 - 58.1]	37.8	[35.3 - 40.3]	50.7	[47.6 - 53.8]	0.07
'Bacillus_cereus_B5-2.fna'	'Bacillus_cereus_VD107.fna'	53.5	[50.0 - 57.0]	37.8	[35.4 - 40.4]	49.9	[46.8 - 52.9]	0.14
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_HuA4-10.fna'	55.2	[51.7 - 58.7]	37.8	[35.3 - 40.3]	51.2	[48.1 - 54.2]	0.27
'Bacillus_cereus_R309803.fna'	'Bacillus_cereus_VD107.fna'	50.0	[46.5 - 53.4]	37.8	[35.4 - 40.3]	47.0	[44.0 - 50.0]	0.1
'Bacillus_cereus_AH603.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	57.3	[53.7 - 60.8]	37.8	[35.3 - 40.3]	52.8	[49.7 - 55.9]	0.29
'Bacillus_cereus_BAG5X2-1.fna'	<i>Bacillus paramycooides</i> NH24A2	54.9	[51.4 - 58.4]	37.8	[35.3 - 40.3]	50.9	[47.9 - 54.0]	0.01
'Bacillus_cereus_172560W.fna'	'Bacillus_cereus_AH603.fna'	61.7	[58.0 - 65.3]	37.8	[35.4 - 40.4]	56.3	[53.1 - 59.4]	0.3
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus albus</i> N35-10-2	55.0	[51.5 - 58.5]	37.8	[35.4 - 40.3]	51.0	[48.0 - 54.1]	0.3
'Bacillus_cereus_AH603.fna'	<i>Bacillus albus</i> N35-10-2	60.1	[56.4 - 63.6]	37.8	[35.4 - 40.3]	55.0	[51.8 - 58.1]	0.18
'Bacillus_cereus_BAG5X2-1.fna'	'Bacillus_cereus_VD107.fna'	52.4	[49.0 - 55.9]	37.8	[35.3 - 40.3]	49.0	[45.9 - 52.0]	0.05
'Bacillus_cereus_R309803.fna'	<i>Bacillus paramycooides</i> NH24A2	51.2	[47.7 - 54.6]	37.7	[35.3 - 40.3]	48.0	[44.9 - 51.0]	0.16
'Bacillus_cereus_AH603.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	56.1	[52.5 - 59.6]	37.7	[35.2 - 40.2]	51.8	[48.7 - 54.9]	0.07
'Bacillus_cereus_AH603.fna'	'Bacillus_thuringiensis_seroovar_andalousiensis_BGSC_4AW1.fna'	57.3	[53.7 - 60.8]	37.7	[35.3 - 40.3]	52.8	[49.7 - 55.9]	0.0
'Bacillus_cereus_BAG2X1-2.fna'	<i>Bacillus paramycooides</i> NH24A2	55.2	[51.6 - 58.6]	37.7	[35.2 - 40.2]	51.1	[48.0 - 54.2]	0.02
'Bacillus_cereus_BAG2X1-2.fna'	'Bacillus_cereus_VD107.fna'	53.4	[49.9 - 56.9]	37.7	[35.2 - 40.2]	49.7	[46.7 - 52.8]	0.09
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_HuA4-10.fna'	56.1	[52.6 - 59.6]	37.7	[35.2 - 40.2]	51.8	[48.8 - 54.9]	0.01
'Bacillus_cereus_ATCC_4342.fna'	'Bacillus_cereus_HuA4-10.fna'	60.7	[57.0 - 64.2]	37.7	[35.2 - 40.2]	55.4	[52.2 - 58.5]	0.03
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	59.0	[55.3 - 62.5]	37.6	[35.2 - 40.2]	54.1	[50.9 - 57.2]	0.03
'Bacillus_cereus_HuA4-10.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	55.7	[52.1 - 59.2]	37.6	[35.2 - 40.2]	51.5	[48.4 - 54.6]	0.05
'Bacillus_cereus_HuA4-10.fna'	'Bacillus_thuringiensis_seroovar_andalousiensis_BGSC_4AW1.fna'	55.2	[51.6 - 58.7]	37.6	[35.1 - 40.1]	51.1	[48.0 - 54.1]	0.12

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_HuA4-10.fna'	55.9	[52.3 - 59.4]	37.6	[35.1 - 40.1]	51.6	[48.6 - 54.7]	0.03
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_AH603.fna'	58.1	[54.5 - 61.6]	37.6	[35.2 - 40.1]	53.4	[50.3 - 56.5]	0.39
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_HuA4-10.fna'	55.8	[52.2 - 59.2]	37.5	[35.0 - 40.0]	51.5	[48.4 - 54.6]	0.09
'Bacillus_cereus_Rock3-44.fna'	'Bacillus_cereus_VD136.fna'	49.6	[46.2 - 53.0]	37.5	[35.0 - 40.0]	46.6	[43.6 - 49.6]	1.17
'Bacillus_cereus_AH603.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	59.9	[56.3 - 63.5]	37.5	[35.0 - 40.0]	54.7	[51.6 - 57.8]	0.09
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_AH603.fna'	59.9	[56.2 - 63.4]	37.5	[35.0 - 40.0]	54.7	[51.5 - 57.8]	0.13
'Bacillus_cereus_VD107.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	50.3	[46.8 - 53.7]	37.4	[35.0 - 39.9]	47.1	[44.1 - 50.2]	0.02
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_AH603.fna'	59.6	[56.0 - 63.2]	37.4	[35.0 - 40.0]	54.5	[51.4 - 57.6]	0.1
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_AH603.fna'	59.5	[55.9 - 63.1]	37.4	[34.9 - 39.9]	54.4	[51.2 - 57.5]	0.03
'Bacillus_cereus_VD107.fna'	<i>Bacillus cereus</i> ATCC 14579	53.0	[49.5 - 56.4]	37.3	[34.8 - 39.8]	49.2	[46.2 - 52.3]	0.03
'Bacillus_cereus_AH1271.fna'	'Bacillus_cereus_VD107.fna'	53.0	[49.5 - 56.5]	37.3	[34.9 - 39.9]	49.3	[46.2 - 52.3]	0.01
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	46.4	[43.0 - 49.9]	37.3	[34.8 - 39.8]	44.0	[41.0 - 47.0]	1.36
'Bacillus_cereus_AH1271.fna'	<i>Bacillus paramycooides</i> NH24A2	53.5	[50.0 - 56.9]	37.3	[34.8 - 39.8]	49.6	[46.6 - 52.7]	0.07
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_VD107.fna'	50.9	[47.5 - 54.4]	37.1	[34.6 - 39.6]	47.5	[44.5 - 50.6]	0.25
'Bacillus_cereus_VD107.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	48.8	[45.4 - 52.2]	37.1	[34.6 - 39.6]	45.8	[42.8 - 48.9]	0.44
'Bacillus_cereus_AH187.fna'	<i>Bacillus paramycooides</i> NH24A2	52.4	[48.9 - 55.9]	37.0	[34.5 - 39.5]	48.7	[45.7 - 51.7]	0.31
'Bacillus_cereus_172560W.fna'	'Bacillus_cereus_VD107.fna'	52.1	[48.6 - 55.6]	37.0	[34.5 - 39.5]	48.4	[45.4 - 51.5]	0.44
'Bacillus_cereus_172560W.fna'	<i>Bacillus paramycooides</i> NH24A2	53.3	[49.9 - 56.8]	37.0	[34.6 - 39.5]	49.4	[46.4 - 52.5]	0.38
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	<i>Bacillus paramycooides</i> NH24A2	53.8	[50.3 - 57.3]	36.9	[34.4 - 39.4]	49.7	[46.7 - 52.8]	0.05
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_VD107.fna'	51.8	[48.4 - 55.3]	36.9	[34.5 - 39.4]	48.2	[45.2 - 51.2]	0.02
'Bacillus_thuringiensis_serovar_andalouisiensis_BGSC_4AW1.fna'	<i>Bacillus paramycooides</i> NH24A2	53.0	[49.5 - 56.4]	36.9	[34.5 - 39.4]	49.1	[46.0 - 52.1]	0.08
'Bacillus_cereus_ATCC_4342.fna'	'Bacillus_cereus_VD107.fna'	56.1	[52.5 - 59.6]	36.9	[34.4 - 39.4]	51.5	[48.4 - 54.6]	0.06
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus paramycooides</i> NH24A2	53.7	[50.2 - 57.2]	36.8	[34.4 - 39.3]	49.6	[46.6 - 52.7]	0.02
'Bacillus_cereus_VD107.fna'	<i>Bacillus albus</i> N35-10-2	49.5	[46.1 - 53.0]	36.8	[34.4 - 39.3]	46.3	[43.3 - 49.4]	0.32
'Bacillus_cereus_ATCC_4342.fna'	<i>Bacillus paramycooides</i> NH24A2	58.4	[54.8 - 61.9]	36.8	[34.4 - 39.4]	53.3	[50.2 - 56.4]	0.01
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_VD107.fna'	51.7	[48.2 - 55.1]	36.8	[34.4 - 39.3]	48.1	[45.0 - 51.1]	0.05
'Bacillus_cereus_VD107.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	51.1	[47.7 - 54.6]	36.8	[34.3 - 39.3]	47.6	[44.6 - 50.7]	0.07

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
' Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus paramycooides</i> NH24A2	53.6	[50.1 - 57.1]	36.7	[34.3 - 39.2]	49.5	[46.5 - 52.6]	0.05
' Bacillus_cereus_VD107.fna'	' Bacillus_thuringiensis_seroovar_andalusiensis_BGSC_4AW1.fna'	50.9	[47.5 - 54.4]	36.7	[34.3 - 39.2]	47.4	[44.4 - 50.5]	0.14
' Bacillus_cereus_VD107.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	53.2	[49.7 - 56.7]	36.7	[34.3 - 39.3]	49.2	[46.2 - 52.3]	0.06
' Bacillus_anthraxis_str_Kruger_B.fna'	' Bacillus_cereus_VD107.fna'	51.5	[48.0 - 54.9]	36.7	[34.3 - 39.2]	47.9	[44.8 - 50.9]	0.11
' Bacillus_cereus_Rock3-44.fna'	' Bacillus_cereus_VD107.fna'	30.8	[27.4 - 34.4]	28.4	[26.0 - 30.9]	29.1	[26.2 - 32.2]	1.47
' Bacillus_cereus_VD107.fna'	' Bacillus_cereus_VD136.fna'	32.0	[28.7 - 35.6]	28.4	[26.0 - 30.9]	30.1	[27.2 - 33.2]	0.31
' Bacillus_cereus_VD136.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	31.5	[28.1 - 35.0]	28.4	[26.1 - 30.9]	29.7	[26.7 - 32.8]	0.42
' Bacillus_cereus_Rock3-44.fna'	<i>Bacillus paramycooides</i> NH24A2	30.7	[27.4 - 34.3]	28.3	[25.9 - 30.8]	29.1	[26.1 - 32.2]	1.54
' Bacillus_cereus_VD136.fna'	<i>Bacillus mycooides</i> DSM 2048	31.1	[27.7 - 34.7]	28.2	[25.8 - 30.7]	29.3	[26.4 - 32.4]	0.36
' Bacillus_cereus_VD107.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	30.7	[27.3 - 34.3]	28.2	[25.9 - 30.7]	29.0	[26.1 - 32.1]	0.11
' Bacillus_cereus_HuA4-10.fna'	' Bacillus_cereus_VD136.fna'	29.8	[26.5 - 33.4]	28.1	[25.7 - 30.6]	28.3	[25.4 - 31.4]	0.33
' Bacillus_cereus_HuA4-10.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	28.3	[24.9 - 31.9]	28.1	[25.8 - 30.6]	27.0	[24.1 - 30.1]	0.13
' Bacillus_cereus_BAG2X1-1.fna'	' Bacillus_cereus_Rock3-44.fna'	30.6	[27.2 - 34.2]	28.0	[25.6 - 30.5]	28.9	[26.0 - 32.0]	1.42
' Bacillus_cereus_VD136.fna'	<i>Bacillus paramycooides</i> NH24A2	32.6	[29.2 - 36.1]	28.0	[25.7 - 30.5]	30.5	[27.5 - 33.6]	0.37
' Bacillus_cereus_AH603.fna'	' Bacillus_cereus_VD136.fna'	29.0	[25.7 - 32.6]	28.0	[25.6 - 30.4]	27.6	[24.7 - 30.7]	0.45
' Bacillus_cereus_VD136.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	30.7	[27.3 - 34.3]	28.0	[25.6 - 30.5]	28.9	[26.0 - 32.0]	0.36
' Bacillus_cereus_HuA4-10.fna'	' Bacillus_cereus_Rock3-44.fna'	29.3	[25.9 - 32.9]	27.9	[25.5 - 30.4]	27.8	[24.9 - 30.9]	1.5
' Bacillus_cereus_AH603.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	28.2	[24.8 - 31.8]	27.8	[25.5 - 30.3]	26.9	[24.0 - 30.0]	0.25
' Bacillus_cereus_AH603.fna'	' Bacillus_cereus_Rock3-44.fna'	27.9	[24.5 - 31.5]	27.8	[25.5 - 30.3]	26.7	[23.8 - 29.8]	1.62
' Bacillus_cereus_BAG2X1-1.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	28.5	[25.2 - 32.2]	27.7	[25.3 - 30.2]	27.2	[24.3 - 30.3]	0.06
' Bacillus_cereus_Rock3-44.fna'	<i>Bacillus mycooides</i> DSM 2048	28.8	[25.5 - 32.5]	27.7	[25.4 - 30.2]	27.4	[24.5 - 30.5]	1.52
' Bacillus_cereus_BAG2X1-1.fna'	' Bacillus_cereus_VD136.fna'	30.5	[27.1 - 34.1]	27.7	[25.3 - 30.2]	28.7	[25.8 - 31.8]	0.26
' Bacillus_cereus_Rock3-44.fna'	<i>Bacillus proteolyticus</i> MCCC 1A00365	29.6	[26.2 - 33.2]	27.7	[25.4 - 30.2]	28.0	[25.1 - 31.1]	1.59
' Bacillus_cereus_AH1272.fna'	' Bacillus_cereus_Rock3-44.fna'	28.5	[25.2 - 32.2]	27.7	[25.3 - 30.1]	27.2	[24.3 - 30.3]	1.51
' Bacillus_cereus_AH187.fna'	' Bacillus_cereus_Rock3-44.fna'	27.8	[24.5 - 31.5]	27.7	[25.4 - 30.2]	26.6	[23.7 - 29.7]	1.22
' Bacillus_cereus_AH1272.fna'	' Bacillus_cereus_VD136.fna'	28.7	[25.4 - 32.4]	27.6	[25.3 - 30.1]	27.3	[24.4 - 30.4]	0.35

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus weihenstephanensis</i> NBRC 101238	29.5	[26.1 - 33.1]	27.6	[25.3 - 30.1]	27.9	[25.0 - 31.0]	1.53
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	29.7	[26.3 - 33.3]	27.6	[25.3 - 30.1]	28.1	[25.2 - 31.2]	1.18
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_Rock3-44.fna'	28.8	[25.4 - 32.4]	27.5	[25.1 - 30.0]	27.3	[24.4 - 30.5]	1.49
'Bacillus_cereus_VD136.fna'	<i>Bacillus toyonensis</i> NCIMB 14858	30.6	[27.3 - 34.2]	27.5	[25.2 - 30.0]	28.8	[25.9 - 31.9]	0.01
'Bacillus_cereus_AH1272.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	28.0	[24.7 - 31.7]	27.5	[25.1 - 30.0]	26.7	[23.8 - 29.8]	0.15
'Bacillus_cereus_B5-2.fna'	'Bacillus_cereus_Rock3-44.fna'	28.2	[24.9 - 31.8]	27.4	[25.0 - 29.8]	26.8	[24.0 - 30.0]	1.61
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_Rock3-44.fna'	28.6	[25.3 - 32.3]	27.4	[25.1 - 29.9]	27.2	[24.3 - 30.3]	1.52
'Bacillus_cereus_BAG10-2.fna'	'Bacillus_cereus_Rock3-44.fna'	28.6	[25.3 - 32.3]	27.4	[25.1 - 29.9]	27.2	[24.3 - 30.3]	1.59
'Bacillus_cereus_AH187.fna'	'Bacillus_cereus_VD136.fna'	28.5	[25.2 - 32.2]	27.4	[25.0 - 29.9]	27.1	[24.2 - 30.2]	0.06
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	'Bacillus_cereus_VD136.fna'	28.5	[25.1 - 32.1]	27.3	[24.9 - 29.8]	27.0	[24.1 - 30.1]	0.32
'Bacillus_cereus_VD136.fna'	<i>Bacillus cereus</i> ATCC 14579	29.2	[25.8 - 32.8]	27.3	[25.0 - 29.8]	27.6	[24.7 - 30.8]	0.28
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_Rock3-44.fna'	28.6	[25.2 - 32.2]	27.3	[25.0 - 29.8]	27.1	[24.2 - 30.2]	1.58
'Bacillus_cereus_Rock3-44.fna'	'Bacillus_thuringiensis_seroovar_andalousiensis_BGSC_4AW1.fna'	28.4	[25.1 - 32.1]	27.3	[24.9 - 29.8]	27.0	[24.1 - 30.1]	1.61
'Bacillus_cereus_BAG5X2-1.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	27.9	[24.5 - 31.5]	27.3	[24.9 - 29.8]	26.6	[23.7 - 29.7]	0.16
'Bacillus_cereus_BAG10-2.fna'	'Bacillus_cereus_VD136.fna'	30.0	[26.6 - 33.6]	27.3	[24.9 - 29.8]	28.3	[25.3 - 31.4]	0.43
'Bacillus_cereus_BAG10-2.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	29.6	[26.2 - 33.2]	27.3	[25.0 - 29.8]	27.9	[25.0 - 31.0]	0.23
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus luti</i> MCCC 1A00359	29.8	[26.4 - 33.4]	27.3	[25.0 - 29.8]	28.1	[25.2 - 31.2]	1.29
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus cereus</i> ATCC 14579	29.4	[26.0 - 33.0]	27.3	[24.9 - 29.8]	27.8	[24.9 - 30.9]	1.44
'Bacillus_cereus_R309803.fna'	'Bacillus_cereus_Rock3-44.fna'	28.7	[25.3 - 32.3]	27.2	[24.8 - 29.6]	27.2	[24.3 - 30.3]	1.38
'Bacillus_cereus_BAG5X2-1.fna'	'Bacillus_cereus_Rock3-44.fna'	28.4	[25.1 - 32.0]	27.2	[24.8 - 29.7]	27.0	[24.1 - 30.1]	1.52
'Bacillus_cereus_AH1271.fna'	'Bacillus_cereus_Rock3-44.fna'	28.4	[25.0 - 32.0]	27.2	[24.8 - 29.7]	26.9	[24.0 - 30.0]	1.47
'Bacillus_cereus_172560W.fna'	'Bacillus_cereus_Rock3-44.fna'	28.0	[24.6 - 31.6]	27.2	[24.8 - 29.7]	26.6	[23.7 - 29.7]	1.92
'Bacillus_anthraxis_str_Vollum.fna'	'Bacillus_cereus_VD136.fna'	28.3	[24.9 - 31.9]	27.2	[24.9 - 29.7]	26.9	[24.0 - 30.0]	0.36
'Bacillus_anthraxis_str_Ames_Ancestor.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	27.0	[23.6 - 30.6]	27.2	[24.8 - 29.7]	25.8	[22.9 - 28.9]	0.13
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	26.8	[23.5 - 30.5]	27.2	[24.8 - 29.7]	25.7	[22.8 - 28.8]	1.91
'Bacillus_cereus_B5-2.fna'	'Bacillus_cereus_VD136.fna'	29.3	[26.0 - 33.0]	27.2	[24.9 - 29.7]	27.7	[24.8 - 30.8]	0.45
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus albus</i> N35-10-2	28.3	[24.9 - 31.9]	27.2	[24.8 - 29.7]	26.9	[24.0 - 30.0]	1.8

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
'Bacillus_cereus_ATCC_4342.fna'	'Bacillus_cereus_Rock3-44.fna'	29.4	[26.0 - 33.0]	27.2	[24.9 - 29.7]	27.8	[24.8 - 30.9]	1.53
'Bacillus_cereus_B5-2.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	28.5	[25.1 - 32.1]	27.2	[24.8 - 29.7]	27.0	[24.1 - 30.1]	0.25
'Bacillus_anthraxis_str_Vollum.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	26.9	[23.5 - 30.5]	27.1	[24.7 - 29.6]	25.7	[22.8 - 28.8]	0.16
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	28.1	[24.8 - 31.7]	27.1	[24.8 - 29.6]	26.7	[23.8 - 29.8]	1.55
'Bacillus_cereus_172560 W.fna'	'Bacillus_cereus_VD136.fna'	28.6	[25.3 - 32.2]	27.1	[24.8 - 29.6]	27.1	[24.2 - 30.2]	0.75
'Bacillus_anthraxis_str_Kruger_B.fna'	'Bacillus_cereus_VD136.fna'	28.3	[24.9 - 31.9]	27.1	[24.7 - 29.6]	26.8	[23.9 - 29.9]	0.42
'Bacillus_cereus_VD136.fna'	'Bacillus_thuringiensis_serovar_andalouisiensis_BGSC_4AW1.fna'	28.3	[24.9 - 31.9]	27.1	[24.8 - 29.6]	26.9	[24.0 - 30.0]	0.45
'Bacillus_cereus_VD136.fna'	<i>Bacillus thuringiensis</i> ATCC 10792	27.5	[24.2 - 31.2]	27.1	[24.7 - 29.6]	26.2	[23.4 - 29.4]	0.74
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus mobilis</i> MCCC 1A05942	27.8	[24.4 - 31.4]	27.1	[24.7 - 29.6]	26.4	[23.5 - 29.5]	1.45
'Bacillus_cereus_BAG2X1-2.fna'	'Bacillus_cereus_Rock3-44.fna'	28.5	[25.1 - 32.1]	27.1	[24.7 - 29.6]	27.0	[24.1 - 30.1]	1.56
'Bacillus_cereus_BAG2X1-2.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	27.3	[23.9 - 30.9]	27.1	[24.8 - 29.6]	26.1	[23.2 - 29.2]	0.2
'Bacillus_cereus_BAG5X2-1.fna'	'Bacillus_cereus_VD136.fna'	29.4	[26.1 - 33.1]	27.1	[24.8 - 29.6]	27.8	[24.9 - 30.9]	0.36
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	28.2	[24.8 - 31.8]	27.1	[24.8 - 29.6]	26.8	[23.9 - 29.9]	1.53
'Bacillus_anthraxis_str_Kruger_B.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	26.9	[23.5 - 30.5]	27.0	[24.6 - 29.5]	25.7	[22.8 - 28.8]	0.22
'Bacillus_cereus_AH187.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	27.2	[23.8 - 30.8]	27.0	[24.7 - 29.5]	26.0	[23.1 - 29.1]	0.14
'Bacillus_cereus_VD136.fna'	<i>Bacillus pacificus</i> MCCC 1A06182	28.1	[24.8 - 31.8]	27.0	[24.7 - 29.5]	26.7	[23.8 - 29.8]	0.36
'Bacillus_cereus_R309803.fna'	'Bacillus_cereus_VD136.fna'	28.1	[24.8 - 31.8]	27.0	[24.6 - 29.5]	26.7	[23.8 - 29.8]	0.21
'Bacillus_cereus_Rock3-44.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	29.2	[25.8 - 32.8]	27.0	[24.7 - 29.5]	27.6	[24.7 - 30.7]	1.54
'Bacillus_thuringiensis_serovar_andalouisiensis_BGSC_4AW1.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	26.8	[23.4 - 30.4]	27.0	[24.7 - 29.5]	25.6	[22.7 - 28.7]	0.25
'Bacillus_cereus_VD136.fna'	<i>Bacillus paranthracis</i> MCCC 1A00395	28.5	[25.2 - 32.2]	27.0	[24.6 - 29.4]	27.0	[24.1 - 30.2]	0.38
'Bacillus_cereus_BAG2X1-2.fna'	'Bacillus_cereus_VD136.fna'	29.0	[25.6 - 32.6]	27.0	[24.7 - 29.5]	27.4	[24.5 - 30.5]	0.39
'Bacillus_cereus_AH1271.fna'	'Bacillus_cereus_VD136.fna'	28.2	[24.9 - 31.9]	27.0	[24.7 - 29.5]	26.8	[23.9 - 29.9]	0.3
'Bacillus_cereus_VD136.fna'	<i>Bacillus albus</i> N35-10-2	29.0	[25.6 - 32.6]	26.9	[24.6 - 29.4]	27.4	[24.5 - 30.5]	0.63
'Bacillus_cereus_ATCC_4342.fna'	'Bacillus_cereus_VD136.fna'	29.6	[26.3 - 33.3]	26.9	[24.6 - 29.4]	27.9	[25.0 - 31.0]	0.36
'Bacillus_cereus_VD136.fna'	<i>Bacillus wiedmannii</i> FSL W8-0169	29.7	[26.4 - 33.3]	26.9	[24.5 - 29.4]	28.0	[25.1 - 31.1]	0.37
'Bacillus_cereus_VD136.fna'	<i>Bacillus luti</i> MCCC 1A00359	29.7	[26.4 - 33.3]	26.9	[24.6 - 29.4]	28.0	[25.1 - 31.1]	0.12
'Bacillus_cereus_ATCC_4342.fna'	<i>Bacillus pseudomycooides</i> DSM 12442	27.7	[24.4 - 31.4]	26.9	[24.5 - 29.4]	26.4	[23.5 - 29.5]	0.17

Query	Subject	d_0	C.I. d_0	d_4	C.I. d_4	d_6	C.I. d_6	Diff. G+C Percent
' Bacillus_cereus_AH1271.fna '	<i>Bacillus pseudomycooides</i> DSM 12442	27.1	[23.8 - 30.8]	26.9	[24.5 - 29.4]	25.9	[23.0 - 29.0]	0.1
' Bacillus_cereus_172560.W.fna '	<i>Bacillus pseudomycooides</i> DSM 12442	27.6	[24.3 - 31.2]	26.9	[24.6 - 29.4]	26.3	[23.4 - 29.4]	0.55
' Bacillus_cereus_VD136.fna '	<i>Bacillus mobilis</i> MCCC 1A05942	28.3	[24.9 - 31.9]	26.8	[24.4 - 29.3]	26.8	[23.9 - 29.9]	0.29
' Bacillus_cereus_R30980.3.fna '	<i>Bacillus pseudomycooides</i> DSM 12442	27.3	[23.9 - 30.9]	26.8	[24.4 - 29.3]	26.0	[23.1 - 29.1]	0.01

Table 4: Strains in your dataset

Joint dataset of automatically determined closest type strains (if this mode was chosen), manually selected type strains (if selected accordingly) and the provided user strains, if provided (marked in **yellow**).

Strain	Authority	Other deposits	Synonyms	Base pairs	Percent G+C	No. proteins	Goldstamp	Bioproject accession	Biosample accession	Assembly accession	IMG OID
<i>Bacillus paranthracis</i> MCCC 1A00395	Liu et al. 2017	LMG 28873; KCTC 33714; Mn5	<i>Bacillus paranthracis</i>	5506 804	35.2	5598		PRJNA224116	SAMN05231549	GCF_001883995	
<i>Bacillus luti</i> MCCC 1A00359	Liu et al. 2017	LMG 28872; KCTC 33716; TD41	<i>Bacillus luti</i>	5086 523	35.4	5160		PRJNA224116	SAMN05231662	GCF_001884105	
<i>Bacillus wiedmannii</i> FSL W8-0169	Miller et al. 2016	LMG 29269; DSM 102050	<i>Bacillus wiedmannii</i>	5337 981	35.2	5255	Gp0145452	PRJNA224116	SAMN03800026	GCF_001583695	
<i>Bacillus pacificus</i> MCCC 1A06182	Liu et al. 2017	KCTC 33858; EB422	<i>Bacillus pacificus</i>	5402 566	35.2	5494		PRJNA224116	SAMN05231547	GCF_001884025	
<i>Bacillus mobilis</i> MCCC 1A05942	Liu et al. 2017	0711P9-1; LMG 28877; KCTC 33717	<i>Bacillus mobilis</i>	5629 975	35.3	5644		PRJNA224116	SAMN05231544	GCF_001884045	
<i>Bacillus albus</i> N35-10-2	Liu et al. 2017	MCCC 1A02146; LMG 28875; KCTC 33710	<i>Bacillus albus</i>	5788 872	34.9	5583		PRJNA326285	SAMN05231551	GCA_001884185	
<i>Bacillus paramycooides</i> NH24A2	Liu et al. 2017	MCCC 1A04098; LMG 28876; KCTC 33709	<i>Bacillus paramycooides</i>	5430 522	35.2	5482		PRJNA224116	SAMN05231634	GCF_001884235	
<i>Bacillus proteolyticus</i> MCCC 1A00365	Liu et al. 2017	LMG 28870; KCTC 33715; TD42	<i>Bacillus proteolyticus</i>	5838 763	35.1	5934		PRJNA224116	SAMN05231663	GCF_001884065	

Strain	Authority	Other deposits	Synonyms	Base pairs	Percent G+C	No. proteins	Goldstamp	Bioproject accession	Biosample accession	Assembly accession	IMG OID
<i>Bacillus cereus</i> ATCC 14579	Frankland and Frankland 1887	LMG 6923; BCRC 10603; CCRC 10603; CIP 66.24; NRRL B-3711; NCIMB 9373; NCCB 75008; CCUG 7414; DSM 31; JCM 2152; IFO 15305; NBRC 15305; NCTC 2599; CCM 2010; VKM B-504; HAMBI 1887; IAM 12605; NCDO 1771; NCFB 1771; NCIB 9373	<i>Bacillus cereus</i>	5427 083	35.3	5255	Gp0000641	PRJNA384	SAMN02603340	GCA_000007825	637000017
<i>Bacillus toyonensis</i> NCIMB 14858	Jiménez et al. 2014	CECT 876; BCT-7112	<i>Bacillus toyonensis</i>	5025 419	35.6	4942	Gp0067894	PRJNA225857	SAMN02389599	GCA_000496285	2558309069
<i>Bacillus mycooides</i> DSM 2048	Flügge 1886 emend. Liu et al. 2018	LMG 7128; CIP 103472; NRRL B-14799; NRRL B-14811; NRRL NRS-273; ATCC 6462; CCUG 26678; NBIMCC 3484; NBRC 101228; NCTC 12974; HAMBI 1827	<i>Bacillus mycooides</i>	5541 876	35.2	5658	Gp0003829	PRJNA29701	SAMN00727646	GCA_000003925	643886175

Strain	Authority	Other deposits	Synonyms	Base pairs	Percent G+C	No. proteins	Goldstamp	Bioproject accession	Biosample accession	Assembly accession	IMG OID
<i>Bacillus pseudomycooides</i> DSM 12442	Nakamura 1998	LMG 18993; CIP 105700; NRRL B-617; JCM 12231; NBRC 101232	<i>Bacillus pseudomycooides</i>	5751 974	35.4	5851	Gp0003852	PRJNA29707	SAMN00727631	GCA_000161455	643886172
<i>Bacillus weihenstephane nsis</i> NBRC 101238	Lechner et al. 1998	LMG 18989; CIP 105772; NRRL B-23307; DSM 11821; WSBC 10204	<i>Bacillus weihenstephane nsis</i>	5571 630	35.2	5640	Gp0024087	PRJDB404	SAMD00041791	GCA_000513155	2563367135
<i>Bacillus thuringiensis</i> ATCC 10792	Berliner 1915	LMG 7138; CIP 53.137; NRRL HD-735; NCCB 70008; CCUG 7429; DSM 2046; JCM 20386; NBRC 101235; VKM B-1544; HAMB I 478; IAM 12077; NCAIM B.01292	<i>Bacillus thuringiensis</i> ; <i>Bacillus thuringiensis</i> subsp. <i>thuringiensis</i>	6234 842	34.8	6243	Gp0003758	PRJNA29723	SAMN00738287	GCA_000161615	643886085
Bacillus_anthraxis_str_Ames_Anc estor.fna				5503 926	35.2	5756					
Bacillus_anthraxis_str_Kruger_B.fna				5470 007	35.1	5782					
Bacillus_anthraxis_str_Vollum.fna				5488 459	35.2	5765					
Bacillus_cereus_172560W.fna				5684 325	34.8	5732					
Bacillus_cereus_AH187.fna				5599 857	35.5	5660					

Strain	Authority	Other deposits	Synonyms	Base pairs	Percent G+C	No. proteins	Goldstamp	Bioproject accession	Biosample accession	Assembly accession	IMG OID
Bacillus_cereus_ AH603.fna				5774 274	35.1	5915					
Bacillus_cereus_ AH1271.fna				5619 907	35.3	5879					
Bacillus_cereus_ AH1272.fna				5747 878	35.2	6034					
Bacillus_cereus_ ATCC_4342.fna				5224 275	35.2	5330					
Bacillus_cereus_ B5-2.fna				5798 705	35.1	5950					
Bacillus_cereus_ BAG10-2.fna				5568 148	35.1	5582					
Bacillus_cereus_ BAG2X1-1.fna				5109 238	35.3	5272					
Bacillus_cereus_ BAG2X1-2.fna				5524 604	35.2	5691					
Bacillus_cereus_ BAG5X2-1.fna				5777 536	35.2	5930					
Bacillus_cereus_ HuA4-10.fna				5761 566	35.2	5808					
Bacillus_cereus_ R309803.fna				5563 546	35.4	5726					
Bacillus_cereus_ Rock3-44.fna				4893 949	36.7	5427					
Bacillus_cereus_ VD107.fna				5319 054	35.3	5366					
Bacillus_cereus_ VD136.fna				5210 989	35.6	5242					
Bacillus_thuringi ensis_serovar_a ndalousiensis_B GSC_4AW1.fna				5463 063	35.1	5701					

Methods, Results and References

The genome sequence data were uploaded to the Type (Strain) Genome Server (TYGS), a free bioinformatics platform available under <https://tygs.dsmz.de>, for a whole genome-based taxonomic analysis [1]. The analysis also made use of recently introduced methodological updates and features [2]. Information on nomenclature, synonymy and associated taxonomic literature was provided by TYGS's sister database, the List of Prokaryotic names with Standing in Nomenclature (LPSN, available at <https://lpsn.dsmz.de>) [2]. The results were provided by the TYGS on 2018-11-27. The TYGS analysis was subdivided into the following steps:

Determination of closely related type strains

Determination of closest type strain genomes was done in two complementary ways: First, all user genomes were compared against all type strain genomes available in the TYGS database via the MASH algorithm, a fast approximation of intergenomic relatedness [3], and, the ten type strains with the smallest MASH distances chosen per user genome. Second, an additional set of ten closely related type strains was determined via the 16S rDNA gene sequences. These were extracted from the user genomes using RNAmmer [4] and each sequence was subsequently BLASTed [5] against the 16S rDNA gene sequence of each of the currently 20940 type strains available in the TYGS database. This was used as a proxy to find the best 50 matching type strains (according to the bitscore) for each user genome and to subsequently calculate precise distances using the Genome BLAST Distance Phylogeny approach (GBDP) under the algorithm 'coverage' and distance formula d_5 [6]. These distances were finally used to determine the 10 closest type strain genomes for each of the user genomes.

Pairwise comparison of genome sequences

For the phylogenomic inference, all pairwise comparisons among the set of genomes were conducted using GBDP and accurate intergenomic distances inferred under the algorithm 'trimming' and distance formula d_5 [6]. 100 distance replicates were calculated each. Digital DDH values and confidence intervals were calculated using the recommended settings of the GGDC 4.0 [2,6].

Phylogenetic inference

The resulting intergenomic distances were used to infer a balanced minimum evolution tree with branch support via FASTME 2.1.6.1 including SPR postprocessing [7]. Branch support was inferred from 100 pseudo-bootstrap replicates each. The trees were rooted at the midpoint [8] and visualized with PhyD3 [9].

Type-based species and subspecies clustering

The type-based species clustering using a 70% dDDH radius around each of the 14 type strains was done as previously described [1]. The resulting groups are shown in Table 1 and 4. Subspecies clustering was done using a 79% dDDH threshold as previously introduced [10].

Results

Type-based species and subspecies clustering

The resulting species and subspecies clusters are listed in Table 4, whereas the taxonomic identification of the query strains is found in Table 1. Briefly, the clustering yielded 23 species clusters and the provided query strains were assigned to 17 of these. Moreover, user strains were located in 17 of 29 subspecies clusters.

Figure caption SSU tree

Figure 1. Tree inferred with FastME 2.1.6.1 [7] from GBDP distances calculated from 16S rDNA gene sequences. The branch lengths are scaled in terms of GBDP distance formula d_5 . The numbers above branches are GBDP pseudo-bootstrap support values > 60 % from 100 replications, with an average branch support of 31.8 %. The tree was rooted at the midpoint [8].

Figure caption genome tree

Figure 2. Tree inferred with FastME 2.1.6.1 [7] from GBDP distances calculated from genome sequences. The branch lengths are scaled in terms of GBDP distance formula d_5 . The numbers above branches are GBDP pseudo-bootstrap support values > 60 % from 100 replications, with an average branch support of 87.5 %. The tree was rooted at the midpoint [8].

References

- [1] Meier-Kolthoff JP, Göker M. TYGS is an automated high-throughput platform for state-of-the-art genome-based taxonomy. *Nat. Commun.* 2019;10: 2182. DOI: 10.1038/s41467-019-10210-3
- [2] Meier-Kolthoff JP, Sardà Carbasse J, Peinado-Olarte RL, Göker M. TYGS and LPSN: a database tandem for fast and reliable genome-based classification and nomenclature of prokaryotes. *Nucleic Acid Res.* 2022;50: D801–D807. DOI: 10.1093/nar/gkab902
- [3] Ondov BD, Treangen TJ, Melsted P, et al. Mash: Fast genome and metagenome distance estimation using MinHash. *Genome Biol* 2016;17: 1–14. DOI: 10.1186/s13059-016-0997-x
- [4] Lagesen K, Hallin P. RNAmmer: consistent and rapid annotation of ribosomal RNA genes. *Nucleic Acids Res.* Oxford Univ Press; 2007;35: 3100–3108. DOI: 10.1093/nar/gkm160
- [5] Camacho C, Coulouris G, Avagyan V, Ma N, Papadopoulos J, Bealer K, et al. BLAST+: architecture and applications. *BMC Bioinformatics.* 2009;10: 421. DOI: 10.1186/1471-2105-10-421
- [6] Meier-Kolthoff JP, Auch AF, Klenk H-P, Göker M. Genome sequence-based species delimitation with confidence intervals and improved distance functions. *BMC Bioinformatics.* 2013;14: 60. DOI: 10.1186/1471-2105-14-60
- [7] Lefort V, Desper R, Gascuel O. FastME 2.0: A comprehensive, accurate, and fast distance-based phylogeny inference program. *Mol Biol Evol.* 2015;32: 2798–2800. DOI: 10.1093/molbev/msv150
- [8] Farris JS. Estimating phylogenetic trees from distance matrices. *Am Nat.* 1972;106: 645–667.
- [9] Kreft L, Botzki A, Coppens F, Vandepoele K, Van Bel M. PhyD3: A phylogenetic tree viewer with extended phyloXML support for functional genomics data visualization. *Bioinformatics.* 2017;33: 2946–2947. DOI: 10.1093/bioinformatics/btx324
- [10] Meier-Kolthoff JP, Hahnke RL, Petersen J, Scheuner C, Michael V, Fiebig A, et al. Complete genome sequence of DSM 30083^T, the type strain (U5/41^T) of *Escherichia coli*, and a proposal for delineating subspecies in microbial taxonomy. *Stand Genomic Sci.* 2014;9: 2. DOI: 10.1186/1944-3277-9-2